


How to Use This Catalog

Each lens in this catalog is labeled with a sequential number (Item Number), shown in the right hand corner of the lens entry. In each index, symbols and lens characteristics are listed along with their relevant lens item numbers. To find a lens in the catalog, locate the item number(s) in one of the indexes below and then simply flip to the section containing the relevant item numbers.

Index by Symbol

Symbol	Item #	Symbol	Item #	Symbol	Item #
*	70, 79, 82, 85-87, 90, 92-94, 96	⌚	137, 139	⬠	411
—	172	⌚	106	⬠	421-425, 430-436
≡	178-179	⌚	286, 288	⬠	415
∧	39-40, 51-59, 275	⌚	279	⬠	490
⊙	269-272	⌚	496	⬠	412
⊙	282	⌚	105	⬠	286, 302, 307, 311, 315, 318, 395-396
⊙	494	⌚	123-124	⬠	304, 310, 316, 323
⊙	1-2, 5-8, 10-11, 15, 23-24, 45, 47, 63-64, 73-74, 76-77, 98-110, 113-118, 120-121, 123-124, 126-158, 160-219, 222-232, 240-252, 257-263, 273-277, 279-285, 289-297, 299-300, 303, 305, 308-309, 313, 317, 319, 321-322, 324-326, 332, 335-370, 372-380, 392-394, 404, 406-408, 411-415, 417-419, 437-439, 468, 473, 475, 477-490, 492	⌚	434	⬠	329
⊙	59	⌚	420-421	⬠	371
⊙	9, 43, 458	⌚	180	⬠	172, 187, 192
⊙	23, 74	⌚	382-391	⬠	160, 171, 182, 188-190
⊙	301, 312, 331	⌚	177	⬠	133, 440-457, 472, 474
⊙	24, 73, 77, 298, 306, 314, 320	⌚	448, 450	⬠	398, 400-401
⊙	16, 36, 463	⌚	443-444	⬠	283, 402
⊙	59	⌚	191	⬠	253-256
⊙	97	⌚	135	⬠	381, 403
⊙	459	⌚	192	⬠	115, 145-147
⊙	445, 447, 456	⌚	193-195	⬠	134
⊙	233-239, 397, 399	⌚	120	⬠	27
⊙	112, 125, 288, 327-330, 405, 466-467, 491	⌚	121, 169-170	⬠	27, 159, 406, 476
⊙	61-62	⌚	160, 171-172	⬠	20-22, 25-26, 28-35, 60, 65-72, 75, 78-96
⊙	276	⌚	161-162, 164-168, 178-180	⬠	41, 461
⊙	37, 39-40, 42, 44, 46, 48-58	⌚	181-183	⬠	468
⊙	140	⌚	173-175, 177, 184-186	⬠	278, 287
⊙	141	⌚	187	⬠	326-330
⊙	138, 142	⌚	163	⬠	11-14
⊙	144	⌚	423	⬠	493
⊙	136	⌚	176	⬠	422
⊙	143	⌚	308	⬠	220-221, 443-444, 449
		⌚	116-117, 151-152, 154	⬠	198, 248
		⌚	118, 156-158	⬠	216-217
		⌚	476	⬠	382-384, 386, 397, 408
		⌚	460	⬠	335-337
		⌚	497	⬠	341-342
		⌚	413		
		⌚	420, 426		
		⌚	331		

Symbol	Item #	Symbol	Item #	Symbol	Item #
2N67	343-344	CAOC	61	ER	210
2N	31	CC	373	ES	46, 207, 209, 432
2S50	338-340	CD	259-260	ESP	228
2S59	345-348	CE	18	ET	214
2S60	349-352	CH	65, 374	EUS	229
2S67	353-356	CHD	220	EV	19, 48, 238
3	240-247, 249-263	CHS	221	EW	49-50
3	20, 331, 357, 416	CHV	40	E <u>W</u>	167, 185
3V60	359-361	C _J	442	EWP	230
3V	32	CL	397	EXC	208
4D	194	CN	217	F	10, 17-19, 39-42, 44, 46, 48, 50-59, 61-62, 195, 251-258, 458, 460-461
5	395-396	CP	16, 66	FF	198, 424
6	47, 113-115, 118, 121, 123-124, 127-128, 130-131, 136-137, 141, 143-147, 154-158, 161-165, 169-170, 173-181, 183, 391, 397-398, 401-402, 452, 490	CS	375	FFC	430
7	9, 387-390	C _U	440	FFO	425
15	420	CU	43, 458	FFW	436
16	372-380, 426, 469-471, 480-489	C _V	441	F <u>W</u>	168, 186
50	21, 242, 245, 260, 262, 418	CV	67	G4	364
60	22, 26, 28-34, 43, 65-72, 78-96, 98-106, 362-371, 381-386, 392-394, 403, 407-408, 414, 416-417, 419	CW	376	G	248
67	75, 116-117, 126, 129, 132-134, 138-139, 142, 150-153	CX	398	H53	212-213
100	85	D3	132-133	H60	335-361
200	86	D	68, 113-114, 130-131, 202	H	5, 36-37, 109, 201-202, 255-256, 387, 463
360°	358	DS	69	h	286, 288
400	87	DEM	72	I2	79
A ₃	426	DLS	216-217	I	78, 251, 327
A	36, 125-126, 129, 215, 240-242, 469	DNA	204	I /	26
a	33-34	DSI	70	IB	235
A	30	E	108, 222, 233, 431	III6	112
ABC	105-106	e	231	IS	281
AC	38-39	EA	42, 223	K₊	447-448
AF	216	EBA	224, 232	K	451
AO+	6	EDR	225, 234	KB	273-274, 277
AO	3	EH	75	Kc	445
AOB	7	EK	215, 218-219	K_{DRO}	453
AOT	8	EI	269	K_{DSII}	446, 454
AS	243-245, 326, 424	EIP 1	272	Ks	449-450
B	21-22, 383, 393	EIP 5	270	K_U	452
B	15, 64	EIP 7	271	L3v	82
bA	1	EL	206	L	252-257, 401
BIQ	289	ELC	205	LD	80-81
BPS	196	EM	44	LX	381
C	45, 220-221, 253-254, 404	EN	239	M	49, 200, 204-208, 210-214, 258, 269-272, 389, 451
c	332	EOH	236	MK	83
CA	372	EP	227	MKI	84
CAO2	62	EPC	226	N3	324-325

Symbol	Item #	Symbol	Item #	Symbol	Item #
N4	396	PW	482	UHV	56
N8A	395	PX	403, 480	V	289, 377
N	365, 455	Q	472	VCP	378
<i>Nb</i>	320-321	QS	370	Ve	484
<i>NC</i>	314-316, 318, 323	QU	369	VEL	479
NE	148	<i>R</i>	381-382, 385-392, 395-402	VG	462
<i>nm</i>	312-313	RD	27	VI	483
no symbol	2, 45, 107-110, 120, 125, 159, 222-232	RNA	211	Vo1	486
NS	149, 297	ROL	362-370	Vo5	487
NX	150	S	28, 63, 107, 114, 129, 131, 159, 183, 237, 330, 391, 409-410, 416, 418, 437, 439, 457	Vm	485
O	328, 457		17-19, 38, 41, 459-462, 464-465	Vp	488
ODC	473	SA	98	Vw	489
OFF	363	SB	99	VW	379
ONM	102	SC	100, 474	VX	203
OOM	103	SD	101	W	241, 244, 246-247, 249, 307, 315-316, 409, 419
OPM	104	SE	17	W	410, 444, 471
OS	85-87	SH	53	<u>W</u>	166, 184
p2	88	SIG	371	WG	57
P2	89	SIN	93	WO	58
P	12, 97, 135, 148-149, 191, 204-211, 214, 219, 297, 333-334, 384, 394, 400	SL	417	WR	59
<i>p</i>	3-4	SP3	252, 257, 385	WR	139
PC	405, 467	SP	261-262, 280, 310-311	X	11, 13-14, 201
PE	2	SPL	94	X/H	388
PE	10	SPP	309, 325	XL	464
PEM	71	SPU	95	XLG	465
PF	367	SSB	96	X/M	390
PH	51, 366	STY	192	XP	380
PL	90	SW	451	XPV	212
PM	291, 334	T	8, 29, 200, 250, 263	XS	76
PN	368	TLX	295	XSV	213
PP	324	TTX	438	Y	241, 244, 246-247, 263, 293, 495
PRO	4	U	470	Z	110
PS	92, 290, 333	UH	54		
PU	91	UHC	55		

Index by Lens Name

<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>	<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
Acclaim OEM PAL #1 and #2**	Walman - Soderberg	490	Channel 14 Plastic II	Landon Lens	283
Accolade	Essilor of America	123	Channel 14 Poly II	Landon Lens	284
Accolade Freedom	Essilor of America	124	Channel 14 Variations Gray	Landon Lens	285
Acuity 9/11/13	PFO Global	326	& B		
Adage	Younger Optics	494	Channel 14 Variations Poly	Landon Lens	286
Adaptar	Essilor Canada	111	Pho		
Adaptar	Essilor of America	125	Clarlet Business	Carl Zeiss Vision	15
Adaptar Digital	Essilor of America	126	ClassicLife Free XS. M or L	Rodenstock Canada	381
Adaptar DS	Essilor Canada	112	CLEARi Absolute-W 12	CLEARi	98
Adaptar DS (Canada)	Essilor of America	127	CLEARi DED 14	CLEARi	99
Adaptar DS Short (Canada)	Essilor of America	128	CLEARi DED 16	CLEARi	100
Adaptar Short Digital	Essilor of America	129	CLEARi DED 19	CLEARi	101
Advanced HD	US Optical	469	CLEARi OFFICE BOOK	CLEARi	102
AF2	Seiko Optical Products	404	CLEARi OFFICE	CLEARi	103
Amplitude	Hoya Vision Care - Dallas	240	COMPUTER		
Amplitude BKS	Hoya Vision Care - Dallas	241	CLEARi OFFICE ROOM	CLEARi	104
Amplitude iQ	Hoya Vision Care - Dallas	242	Compact ULTRA HD	SOLA Optical	458
Amplitude Mini	Hoya Vision Care - Dallas	243	Computer	Shamir Insight Inc.	430
Amplitude Mini BKS	Hoya Vision Care - Dallas	244	Constitution HD	FEA Industries, Inc.	220
Amplitude Mini iQ	Hoya Vision Care - Dallas	245	Constitution Short HD	FEA Industries, Inc.	221
AO b'Active		1	Continual Focus Lens (CFL)	Vision Dynamics Lab/Optical	472
AO Easy		2		Dynamics	
AO Easy	American Optical	9	Continuum	Carl Zeiss Vision	16
AO Easy HD	American Optical	10	COZE ADL ADVANCED	Robertson Optical Laboratories,	372
AO Force 55		3		Inc.	
AO Pro 15		4	COZE CASATA	Robertson Optical Laboratories,	373
AO Pro 16		5		Inc.	
APEX	Classic Optical Laboratories,	97	COZE HDW	Robertson Optical Laboratories,	374
	Inc.			Inc.	
Array	Hoya Vision Care - Dallas	246	COZE SOFT	Robertson Optical Laboratories,	375
Array Wrap	Hoya Vision Care - Dallas	247		Inc.	
Attitude III Fashion 15	Shamir Insight Inc.	420	COZE WRAP	Robertson Optical Laboratories,	376
Attitude III Fashion 18	Shamir Insight Inc.	421		Inc.	
Attitude III Sport	Shamir Insight Inc.	422	Crossbows Custom U	Signet Armorlite, Inc.	440
Augen HD Trinity Spacia SF	Augen Optics	11	Crossbows Custom V	Signet Armorlite, Inc.	441
AugenSol HD Trinity 13/17	Augen Optics	12	Crossbows Junior	Signet Armorlite, Inc.	442
Autograph II -Fixed & Var. Des	Shamir Insight Inc.	423	DC mini	Seiko Optical Products	405
Autograph II Attitude	Shamir Insight Inc.	424	Definity	Essilor Canada	113
Autograph II Office	Shamir Insight Inc.	425	Definity	Essilor of America	130
Autograph III Fixed & VAR.	Shamir Insight Inc.	426	Definity Short	Essilor Canada	114
Autograph Intelligence Fixed & VARI.	Shamir Insight Inc.	427	Definity Short	Essilor of America	131
			Definity 3	Essilor of America	132
Autograph II+ Fixed & VARI.	Shamir Insight Inc.	428	Definity 3 Plus	Essilor of America	133
Autograph Relax	Shamir Insight Inc.	429	DirecTek	Signet Armorlite, Inc.	443
Balance Digital 12	Nikon Optical Canada	298	DirecTek Short	Signet Armorlite, Inc.	444
Balance Digital 14	Nikon Optical Canada	299	DLS Advanced PAL	Eye Kraft Optical, Inc.	215
Blue IQ Variable Progressive	Lenscrafters	289	DLS Anti-Fatigue	Eye Kraft Optical, Inc.	216
Ce-Tru Normal Corridor	L.B.I.	278	DLS Camber Near	Eye Kraft Optical, Inc.	217
Ce-Tru Polarized Progressive	L.B.I.	279	DLS PAL	Eye Kraft Optical, Inc.	218
Ce-Tru Short Corridor	L.B.I.	280	DLS Pro PAL	Eye Kraft Optical, Inc.	219
Ce-Tru Short Corridor Photochr	L.B.I.	281	Eagle	FEA Industries, Inc.	222
Ce-Tru SunSensor	L.B.I.	282	Eagle Apprentice	FEA Industries, Inc.	223
			Eagle Balance	FEA Industries, Inc.	224
			Eagle Driver	FEA Industries, Inc.	225
			Eagle PC	FEA Industries, Inc.	226
			Eagle Precision	FEA Industries, Inc.	227
			Eagle Sport	FEA Industries, Inc.	228
			Eagle Ultra Short	FEA Industries, Inc.	229
			Eagle Workplace	FEA Industries, Inc.	230

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Eaglet	FEA Industries, Inc.	231	Geo-FORM 15	Rite-Style Optical Company, Inc.	337
Eaglet Balance	FEA Industries, Inc.	232			
EasyLux	Dehlawi Optical Industries	105	Geo-FORM AW 10	Rite-Style Optical Company, Inc.	338
Elan HD	Carl Zeiss Vision	17			
Elan HD Short	Carl Zeiss Vision	18	Geo-FORM AW 12	Rite-Style Optical Company, Inc.	339
Elan HDV	Carl Zeiss Vision	19			
Element	Shamir Insight Inc.	431	Geo-FORM AW 14	Rite-Style Optical Company, Inc.	340
Element Short	Shamir Insight Inc.	432			
EOS	KBco, Inc.	273	Geo-FORM EZ 13	Rite-Style Optical Company, Inc.	341
EOS Wrap	KBco, Inc.	274			
epik Day	GSRx	233	Geo-FORM EZ 15	Rite-Style Optical Company, Inc.	342
epik DRV 50	GSRx	234			
epik iBifocal	GSRx	235	Geo-FORM EZ S 11	Rite-Style Optical Company, Inc.	343
epik Office HD	GSRx	236			
epik Standard	GSRx	237	Geo-FORM EZ S 13	Rite-Style Optical Company, Inc.	344
epik Variable	GSRx	238			
epik Variable Device	GSRx	239	Golf	Shamir Insight Inc.	434
Essilor Anti-Fatigue	Essilor of America	134	Gradal 3	Carl Zeiss Vision	20
Essilor Computer	Essilor of America	135	Gradal Brevis 1.5	Carl Zeiss Vision	21
Essilor Ideal	Essilor of America	136	Gradal Brevis 1.6	Carl Zeiss Vision	22
Essilor Ideal Advanced	Essilor of America	137	Gradal Brevity 1.59	Carl Zeiss Vision	23
Essilor Ideal Advanced Fit	Essilor of America	138	Gradal Brevity 1.67	Carl Zeiss Vision	24
Essilor Ideal Advanced Wrap	Essilor of America	139	Gradal HS (All)	Carl Zeiss Vision	25
Essilor Ideal Computer	Essilor of America	140	Gradal Individual	Carl Zeiss Vision	26
Essilor Ideal Driving	Essilor of America	141	Gradal RD	Carl Zeiss Vision	27
Essilor Ideal Fit	Essilor of America	142	Gradal Shorti	Carl Zeiss Vision	28
Essilor Ideal Short	Essilor of America	143	Gradal Top	Carl Zeiss Vision	29
Essilor Ideal Sport	Essilor of America	144	GT2	Carl Zeiss Vision	30
Essilor Natural	Essilor of America	145	GT2 3D	Carl Zeiss Vision	31
Essilor Natural / Natural DS	Essilor Canada	115	GT2 3D 3DV	Carl Zeiss Vision	32
Essilor Natural Digital	Essilor of America	146	GT2 3D Short	Carl Zeiss Vision	33
Executive/ ShoreView ES	Shore Lens Company	437	GT2 Short	Carl Zeiss Vision	34
Expert DNA™	Expert Optics	204	HD Trinity 13/17 SF	Augen Optics	13
Expert Elite C™	Expert Optics	205	HD Trinity 8/12 SF	Augen Optics	14
Expert Elite™	Expert Optics	206	Hoyalux GP	Hoya Vision Care - Dallas	248
Expert Essential®	Expert Optics	207	Hoyalux GPW	Hoya Vision Care - Dallas	249
Expert Extreme C™	Expert Optics	208	Hoyalux Tact (EP40 and 60)	Hoya Vision Care - Dallas	250
Expert Extreme™	Expert Optics	209	HyperPro	PFO Optima LLC	331
Expert Relief™ 50 and 75	Expert Optics	210	ID InStyle	Hoya Vision Care - Dallas	251
Expert RNA™	Expert Optics	211	ID Lifestyle	Hoya Vision Care - Dallas	252
Expert Sport Wrap XPV™	Expert Optics	212	iD LifeStyle 2 Clarity	Hoya Vision Care - Dallas	253
(progressive)			ID LifeStyle 2 Clarity cd	Hoya Vision Care - Dallas	254
Expert Sport Wrap XSV™ (single vision)	Expert Optics	213	ID LifeStyle 2 Harmony	Hoya Vision Care - Dallas	255
			ID LifeStyle 2 Harmony cd	Hoya Vision Care - Dallas	256
Expert Tween™ 1.3; 2.0; 4.0	Expert Optics	214	ID Lifestyle cd	Hoya Vision Care - Dallas	257
EZ View Mini	SOMO Optical	466	ID Mystyle	Hoya Vision Care - Dallas	258
EZ View Std	SOMO Optical	467	identity home 9/11/13	PFO Global	327
First PAL	Shamir Insight Inc.	433	identity play 9/11/13	PFO Global	328
Freedom ID	X-CEL Optical	491-493	identity pro	PFO Global	329
Futureise	Polycore Optical	333	identity smart 9/11/13	PFO Global	330
Geo-FORM 11	Rite-Style Optical Company, Inc.	335	Illumina	Vision-Ease Lens, Inc.	476
			Image	Younger Optics	495
Geo-FORM 13	Rite-Style Optical Company, Inc.	336	Image	Younger Optics	496
			Impression 2 XS, M, or L	Rodenstock Canada	382
			Impression Ergo 2 Book	Rodenstock Canada	383
			Impression Ergo 2 PC or Room	Rodenstock Canada	384
			Impression Ergo FreeSign 2	Rodenstock Canada	385
			Impression FreeSign 2	Rodenstock Canada	386

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Impression Hyperop	Rodenstock Canada	387	Nikon i Digital	Nikon Optical Canada	305
Impression Hyperop XS	Rodenstock Canada	388	Nikon Online	Nikon Optical Canada	306
Impression Myop	Rodenstock Canada	389	Nikon Online	Nikon Optical USA	314
Impression Myop XS	Rodenstock Canada	390	Nikon W	Nikon Optical Canada	307
Impression Sport 2	Rodenstock Canada	391	Nikon W	Nikon Optical USA	315
inMotion	IOT	268	Nikon W Short	Nikon Optical USA	316
Intellego 3	Interstate Optical	264	Novel	Vision-Ease Lens, Inc.	477
Intellego 3 14	Interstate Optical	265	Novella Short Corridor	Vision-Ease Lens, Inc.	478
Intellego 3 16	Interstate Optical	266	Outlook	Vision-Ease Lens, Inc.	479
Intellego 3 18	Interstate Optical	267	Ovation	Essilor Canada	116
IOT Endless	IOT	269	Ovation	Essilor of America	151
IOT Endless Plus 0.50D	IOT	270	Ovation ADS	Essilor Canada	117
IOT Endless Plus 0.75D	IOT	271	Ovation ADS (Canada)	Essilor of America	152
IOT Endless Plus 1.00D	IOT	272	Ovation ADS Short	Essilor of America	153
iRx Pro	KBco, Inc.	275	(Canada)		
iRx Short	KBco, Inc.	276	Ovation Digital	Essilor of America	154
Kodak Concise	Signet Armorlite, Inc.	445	Ovation DS (Canada)	Essilor of America	155
KODAK DSII	Signet Armorlite, Inc.	446	Overture	Sutherland Optical, Inc.	468
Kodak Precise	Signet Armorlite, Inc.	447	Paradigm Progressive	Vision Dynamics Lab/Optical Dynamics	473
KODAK Precise PB	Signet Armorlite, Inc.	448			
Kodak Precise Short	Signet Armorlite, Inc.	449	Paradigm Short Corridor	Vision Dynamics Lab/Optical Dynamics	474
KODAK Precise Short PB	Signet Armorlite, Inc.	450			
KODAK SoftWear	Signet Armorlite, Inc.	451	PCWide	Seiko Optical Products	406
Kodak Unique	Signet Armorlite, Inc.	452	Percepta	SOLA Optical	459
KODAK Unique DRO	Signet Armorlite, Inc.	453	Perfas Premier II	Seiko Optical Products	407
KODAK Unique DRO HD	Signet Armorlite, Inc.	454	Perfas Prominent	Seiko Optical Products	408
Maui Passport Progressive	Maui Jim	292	Persona	Riverside Opticalab Ltd.	362
Melibrad Progressive	Melibrad	293	Persona Office	Riverside Opticalab Ltd.	363
Micro	Polycore Optical	334	Persona G4	Riverside Opticalab Ltd.	364
MOVE	Nikon Optical Canada	300	Persona Novice	Riverside Opticalab Ltd.	365
Move Digital 13	Nikon Optical USA	312	Persona Phd	Riverside Opticalab Ltd.	366
Move Digital 15	Nikon Optical USA	313	Persona Phd Distance	Riverside Opticalab Ltd.	367
MOVE Short	Nikon Optical Canada	301	Persona Phd Near	Riverside Opticalab Ltd.	368
Multigressiv MyView 2 XS, M, L	Rodenstock Canada	392	Persona Quattro	Riverside Opticalab Ltd.	369
Mvp Platinum Plastic II	Landon Lens	287	Persona Quattro Sport	Riverside Opticalab Ltd.	370
MyView Ergo 2 Book	Rodenstock Canada	393	Polar-Ray Progressive	Melibrad	294-295
MyView Ergo 2 PC or Room	Rodenstock Canada	394	PolySensus	MacLens Optical	290
Nalco Progressive	Nassau Lens Company	296	Presio Digital i Short	Nikon Optical USA	317
Natural DS (Canada)	Essilor of America	147	Presio i	Nikon Optical USA	318
Navigator FBS	Signet Armorlite, Inc.	455	Presio i Digital	Nikon Optical USA	319
Navigator Precision	Signet Armorlite, Inc.	456	Presio i Digital 12	Nikon Optical USA	320
Navigator Short	Signet Armorlite, Inc.	457	Presio i Digital 14	Nikon Optical USA	321
Nexyma Computer (80)	Rodenstock Canada	395	Presio i Digital Short	Nikon Optical USA	322
Nexyma Reading (40)	Rodenstock Canada	396	Presio i Short	Nikon Optical USA	323
Nikon Eyes Advanced	Essilor of America	148	Presio Power 12/13/14	Nikon Optical Canada	308
Nikon Eyes Advanced Short	Essilor of America	149	Presio Power 12/13/14	Nikon Optical USA	324
Nikon Eyes Customized	Essilor of America	150	Privo Advance	Dehlawi Optical Industries	106
Nikon Go	Nikon Optical Canada	302	Pro-Freedom	Excelite, Inc.	196
Nikon Go Digital	Nikon Optical Canada	303	Pro-Freedom Plus	Excelite, Inc.	197
Nikon i	Nikon Optical Canada	304	Pro-Freedom Solace	Excelite, Inc.	198
			Pro-Freedom Sports	Excelite, Inc.	199
			Proceed II Short	Seiko Optical Products	409
			Proceed III Super Short	Seiko Optical Products	410

<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>	<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
Progressiv ClassicLife	Rodenstock Canada	397	synchrony Easy Adapt	Carl Zeiss Vision	41
Progressiv ClassicLife XS	Rodenstock Canada	398	synchrony Easy Adapt HD	Carl Zeiss Vision	42
Progressiv Life 2	Rodenstock Canada	399	synchrony Easy M	Carl Zeiss Vision	43
Progressiv Life 2 XS	Rodenstock Canada	400	synchrony Easy M HD	Carl Zeiss Vision	44
Progressiv Purelife	Rodenstock Canada	401	synchrony Easy S	Carl Zeiss Vision	45
Progressiv Purelife XS	Rodenstock Canada	402	synchrony Easy S HD	Carl Zeiss Vision	46
ProgressivPureLife Free XS,M,L	Rodenstock Canada	403	synchrony Easy View	Carl Zeiss Vision	47
Promult	MacLens Optical	291	synchrony Easy View HD	Carl Zeiss Vision	48
Proprius DS	Nexus Vision Group	297	synchrony Easy Wear	Carl Zeiss Vision	49
Punktal Gradal HS	Carl Zeiss Vision	35	synchrony Easy Wear HD	Carl Zeiss Vision	50
PureSite Easy Fit	Diversified Ophthalmics, Inc.	107	synchrony Performance HD (13, 15, 17, 19)	Carl Zeiss Vision	51
PureSite Enhanced	Diversified Ophthalmics, Inc.	108	synchrony Performance HDV	Carl Zeiss Vision	52
			synchrony Starter HD	Carl Zeiss Vision	53
PureSite Premier	Diversified Ophthalmics, Inc.	109	synchrony Ultra HD (13, 15, 17, 19, 21)	Carl Zeiss Vision	54
PureSite Ultima	Diversified Ophthalmics, Inc.	110	synchrony Ultra HDC	Carl Zeiss Vision	55
			synchrony Ultra HDV	Carl Zeiss Vision	56
Resolution Response	PFO Optima LLC	332	synchrony Work & Go HD	Carl Zeiss Vision	57
SeeMax Power 12/13/14	Nikon Optical Canada	309	synchrony Work & Office HD	Carl Zeiss Vision	58
SeeMax Power 12/13/14	Nikon Optical USA	325	synchrony Work & Read HD	Carl Zeiss Vision	59
SeeMaxProgressive 12	Nikon Optical Canada	310	TACT 40 BKS and TACT 60 BKS	Hoya Vision Care - Dallas	263
SeeMaxProgressive 14	Nikon Optical Canada	311	TR1-Far AW 14	Rite-Style Optical Company, Inc.	345
ShoreView / Shoreview Mini	Shore Lens Company	438			
Shoreview Mini ES	Shore Lens Company	439	TR1-Far AW 16	Rite-Style Optical Company, Inc.	346
Signature HD	Riverside Opticalab Ltd.	371			
Smallfit	Essilor of America	156	TR1-Far AW 18	Rite-Style Optical Company, Inc.	347
SmallFit / SmallFit DS	Essilor Canada	118			
SmallFit Digital	Essilor of America	157	TR1-Far AW 20	Rite-Style Optical Company, Inc.	348
Smallfit DS (Canada)	Essilor of America	158			
SOLA HDV	SOLA Optical	460	TR2-Basic 14	Rite-Style Optical Company, Inc.	349
SOLAMAX	Carl Zeiss Vision	36			
SOLAOne HD	SOLA Optical	461	TR2-Basic 16	Rite-Style Optical Company, Inc.	350
Spectrum	Shamir Insight Inc.	435			
Stealth 15	Vision Warehouse	475	TR2-Basic 18	Rite-Style Optical Company, Inc.	351
Succeed	Seiko Optical Products	411			
Succeed WS	Seiko Optical Products	412	TR2-Basic 20	Rite-Style Optical Company, Inc.	352
Summit cd	Hoya Vision Care - Dallas	259			
Summit cd iQ	Hoya Vision Care - Dallas	260	TR3-Demand AW 14	Rite-Style Optical Company, Inc.	353
Summit ecp	Hoya Vision Care - Dallas	261			
Summit ecp iQ	Hoya Vision Care - Dallas	262	TR3-Demand AW 16	Rite-Style Optical Company, Inc.	354
Super No-Line	Essilor Canada	119			
Super No-Line	Essilor of America	159	TR3-Demand AW 18	Rite-Style Optical Company, Inc.	355
Supercede	Seiko Optical Products	413			
Supercede II	Seiko Optical Products	414	TR3-Demand AW 20	Rite-Style Optical Company, Inc.	356
Supercede WS	Seiko Optical Products	415			
Superior	Seiko Optical Products	416	TR4-Highway AW	Rite-Style Optical Company, Inc.	357
Supernal	Seiko Optical Products	417			
Surmount	Seiko Optical Products	418	TR5-Zone 13	Rite-Style Optical Company, Inc.	358
Surmount Ws	Seiko Optical Products	419			
Synchrony	Carl Zeiss Vision	37	TR8-Active AW 15	Rite-Style Optical Company, Inc.	359
synchrony Access	Carl Zeiss Vision	38			
synchrony Access HD (075, 125, 175)	Carl Zeiss Vision	39	TR8-Active AW 17	Rite-Style Optical Company, Inc.	360
synchrony Curves HDC	Carl Zeiss Vision	40	TR8-Active AW 19	Rite-Style Optical Company, Inc.	361
			TruVision		6
			TruVision Omni		7
			TruVision Technica		8
			Ultimate HD	US Optical	470
			Umbramatic SR Gradal HS	Carl Zeiss Vision	60
			UNITY PLx	VSP	480
			UNITY PLxtra	VSP	481
			Unity PLxtreme	VSP	482
			Unity Via	VSP	483
			Unity Via Elite	VSP	484

<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
Unity Via Mobile	VSP	485
Unity Via OfficePro 10ft	VSP	486
Unity Via OfficePro 5ft	VSP	487

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Unity Via Plus	VSP	488	Vista	Robertson Optical	377
Unity Via Wrap	VSP	489		Laboratories, Inc.	
Universa HD Office (075, 125, 175)	Carl Zeiss Vision	61	VISTA CP	Robertson Optical	378
Universa2 HD	Carl Zeiss Vision	62		Laboratories, Inc.	
Variations	Landon Lens	288	VISTA WS	Robertson Optical	379
Varilux Ipseo IV	Essilor of America	160		Laboratories, Inc.	
Varilux Comfort	Essilor of America	161	Visuality	SOLA Optical	463
Varilux Comfort / Comfort DSx	Essilor Canada	120	WorkSpace	Shamir Insight Inc.	436
Varilux Comfort Drx	Essilor of America	162	Wrap HD	US Optical	471
Varilux Comfort Enhanced	Essilor of America	163	X-Pro Discovery	Excelite, Inc.	200
Varilux Comfort Short	Essilor of America	164	X-Pro Discovery Plus	Excelite, Inc.	201
Varilux Comfort Short DRx	Essilor of America	165	X-Pro Discovery Xtra	Excelite, Inc.	202
Varilux Comfort W3+	Essilor of America	166	X-Pro Maxima Plus	Excelite, Inc.	203
Varilux Comfort W3+ eyecode	Essilor of America	167	XL	SOLA Optical	464
Varilux Comfort W3+ Fit	Essilor of America	168	XL Gold	SOLA Optical	465
Varilux Ellipse	Essilor of America	169	XP HD	Robertson Optical	380
Varilux Ellipse / Ellipse 360	Essilor Canada	121		Laboratories, Inc.	
Varilux Ellipse 360°	Essilor of America	170	Xplore	KBco, Inc.	277
Varilux Ipseo IV	Essilor of America	171	Zeal Digital Progressive	Zeal Optics	497
Varilux Ipseo IV eyecode	Essilor of America	172	ZEISS Business	Carl Zeiss Vision	64
Varilux Physio	Essilor of America	173	ZEISS Choice (13, 15, 17, 19)	Carl Zeiss Vision	65
Varilux Physio 360°	Essilor of America	174	ZEISS Choice Plus (13, 15, 17, 19, 21)	Carl Zeiss Vision	66
Varilux Physio DRx	Essilor of America	175	ZEISS Choice Plus V	Carl Zeiss Vision	67
Varilux Physio Enhanced	Essilor of America	176	ZEISS Digital Lens	Carl Zeiss Vision	68
Varilux Physio Enhanced Azio	Essilor of America	177	ZEISS DriveSafe	Carl Zeiss Vision	69
Varilux Physio Enhanced eyecode	Essilor of America	178	ZEISS DriveSafe Individual	Carl Zeiss Vision	70
Varilux Physio Enhanced Fit	Essilor of America	179	ZEISS EnergizeMe (14, 16, 18)	Carl Zeiss Vision	71
Varilux Physio Enhanced India	Essilor of America	180	ZEISS EnergizeMe Digital	Carl Zeiss Vision	72
Varilux Physio Short	Essilor of America	181	ZEISS Experience	Carl Zeiss Vision	73-74
Varilux Physio Short 360°	Essilor of America	182	ZEISS Experience HD2	Carl Zeiss Vision	75
Varilux Physio Short DRx	Essilor of America	183	ZEISS Experience Short	Carl Zeiss Vision	76-77
Varilux Physio W3+	Essilor of America	184	ZEISS Individual	Carl Zeiss Vision	78
Varilux Physio W3+ eyecode	Essilor of America	185	ZEISS Individual 2	Carl Zeiss Vision	79
Varilux Physio W3+ Fit	Essilor of America	186	ZEISS Light D (14, 18)	Carl Zeiss Vision	80
Varilux S 4D	Essilor of America	187	ZEISS Light H (14, 16, 18)	Carl Zeiss Vision	81
Varilux S Design	Essilor of America	188	ZEISS Light V	Carl Zeiss Vision	82
Varilux S Design Short	Essilor of America	189	ZEISS MyoKids Pro	Carl Zeiss Vision	83
Varilux S Fit	Essilor of America	190	ZEISS MyoKids Pro Individual	Carl Zeiss Vision	84
Varilux Sport	Essilor Canada	122	ZEISS Officelens Book	Carl Zeiss Vision	85
Varilux Sport	Essilor of America	191	ZEISS Officelens Desk	Carl Zeiss Vision	86
Varilux Stylistic	Essilor of America	192	ZEISS Officelens Room	Carl Zeiss Vision	87
Varilux X	Essilor of America	193	ZEISS Plus 2 Short Sport	Carl Zeiss Vision	88
Varilux X 4D	Essilor of America	194	ZEISS Plus 2 Sport	Carl Zeiss Vision	89
Varilux X Fit	Essilor of America	195	ZEISS Precision Plus	Carl Zeiss Vision	90
VIP	Carl Zeiss Vision	63	ZEISS Precision Pure (13, 15, 17, 19, 21)	Carl Zeiss Vision	91
VIP Gold	SOLA Optical	462	ZEISS Precision Superb	Carl Zeiss Vision	92
			ZEISS SmartLife Individual	Carl Zeiss Vision	93
			ZEISS SmartLife Plus	Carl Zeiss Vision	94
			ZEISS SmartLife Pure (S, M, L)	Carl Zeiss Vision	95
			ZEISS SmartLife Superb	Carl Zeiss Vision	96

Extended ADD Range Index

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.50	Acuity 9/11/13	326	to 0.50	Persona Quattro Sport	370	to	Amplitude BKS	241
	CLEARi Absolute-W 12	98		Privo Advance	106	0.75		
	CLEARi DED 14	99		Proceed II Short	409		Amplitude iQ	242
	CLEARi DED 16	100		Proceed III Super Short	410		Amplitude Mini	243
	CLEARi DED 19	101		Signature HD	371		Amplitude Mini BKS	244
	CLEARi OFFICE BOOK	102		Smallfit DS (Canada)	158		Amplitude Mini iQ	245
	CLEARi OFFICE COMPUTER	103		Succeed	411		AO Easy	2
	CLEARi OFFICE ROOM	104		Succeed WS	412		AO Easy HD	10
	COZE ADL ADVANCED	372		Summit ecp	261		AO Force 55	3
	COZE CASATA	373		Summit ecp iQ	262		Array	246
	COZE HDW	374		Supercede	413		Array Wrap	247
	COZE SOFT	375		Supercede II	414		Attitude III Fashion 15	420
	COZE WRAP	376		Supercede WS	415		Attitude III Fashion 18	421
	DLS Anti-Fatigue	216		Superior	416		Attitude III Sport	422
	DLS Camber Near	217		Supernal	417		Augen HD Trinity Spacia SF	11
	Eagle	222		Surmount	418		Autograph II -Fixed & Var. Des	423
	Eagle Apprentice	223		Surmount Ws	419		Autograph II Attitude	424
	Eagle Balance	224		synchrony Starter HD	53		Autograph II Office	425
	Eagle Driver	225		TR1-Far AW 14	345		Autograph III Fixed & VAR.	426
	Eagle Precision	227		TR1-Far AW 16	346		Autograph Intelligence Fixed & VARI.	427
	Eagle Sport	228		TR1-Far AW 18	347			
	Eagle Ultra Short	229		TR1-Far AW 20	348		Autograph II+ Fixed & VARI.	428
	Eagle Workplace	230		TR2-Basic 14	349		Balance Digital 12	298
	Eaglet	231		TR2-Basic 16	350		Balance Digital 14	299
	Eaglet Balance	232		TR2-Basic 18	351		Ce-Tru Normal Corridor	278
	EasyLux	105		TR2-Basic 20	352		ClassicLife Free XS. M or L	381
	epik DRV 50	234		TR3-Demand AW 14	353		Compact ULTRA HD	458
	Expert Elite™	206		TR3-Demand AW 16	354		Computer	430
	Expert Essential®	207		TR3-Demand AW 18	355		Constitution HD	220
	Expert Extreme™	209		TR3-Demand AW 20	356		Constitution Short HD	221
	Expert Relief™ 50 and 75	210		TR4-Highway AW	357		Crossbows Custom U	440
	Expert Tween™ 1.3; 2.0; 4.0	214		TR5-Zone 13	358		Crossbows Custom V	441
	Geo-FORM 11	335		TR8-Active AW 15	359		Crossbows Junior	442
	Geo-FORM 13	336		TR8-Active AW 17	360		DirecTek	443
	Geo-FORM 15	337		TR8-Active AW 19	361		DirecTek Short	444
	Geo-FORM AW 10	338		Unity Via	483		DLS Advanced PAL	215
	Geo-FORM AW 12	339		Unity Via Elite	484		DLS PAL	218
	Geo-FORM AW 14	340		Unity Via Mobile	485		DLS Pro PAL	219
	Geo-FORM EZ 13	341		Unity Via Plus	488		Elan HD	17
	Geo-FORM EZ 15	342		Unity Via Wrap	489		Elan HD Short	18
	Geo-FORM EZ S 11	343		Vista	377		Elan HDV	19
	Geo-FORM EZ S 13	344		VISTA CP	378		Element	431
	identity home 9/11/13	327		VISTA WS	379		Element Short	432
	identity play 9/11/13	328		XP HD	380		epik Day	233
	identity smart 9/11/13	330	to 0.75	Accolade	123		epik iBifocal	235
	Perfas Premier II	407		Accolade Freedom	124		epik Standard	237
	Perfas Prominent	408		Adage	494		epik Variable	238
	Persona	362		Adaptar	125		epik Variable Device	239
	Persona Office	363		Adaptar Digital	126		Essilor Ideal	136
	Persona G4	364		Adaptar DS	112		Essilor Ideal Advanced	137
	Persona Novice	365		Adaptar DS (Canada)	127		Essilor Ideal Advanced Fit	138
	Persona Phd	366		Adaptar DS Short (Canada)	128		Essilor Ideal Advanced Wrap	139
	Persona Phd Distance	367		Adaptar Short Digital	129		Essilor Ideal Computer	140
	Persona Phd Near	368		Advanced HD	469		Essilor Ideal Driving	141
	Persona Quattro	369		Amplitude	240		Essilor Ideal Fit	142
							Essilor Ideal Short	143
							Essilor Ideal Sport	144

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.75	Essilor Natural	145	to 0.75	MyView Ergo 2 Book	393	to 0.75	SOLAOne HD	461
	Essilor Natural / Natural DS	115		MyView Ergo 2 PC or Room	394		Spectrum	435
	Essilor Natural Digital	146		Natural DS (Canada)	147		Summit cd	259
	Executive/ ShoreView ES	437		Navigator FBS	455		Summit cd iQ	260
	Expert DNA™	204		Nikon Eyes Advanced	148		Super No-Line	159
	Expert Elite C™	205		Nikon Eyes Advanced Short	149		synchrony Access HD (075, 125, 175)	39
	Expert Extreme C™	208		Nikon Eyes Customized	150		synchrony Curves HDC	40
	Expert RNA™	211		Nikon Go	302		synchrony Easy Adapt HD	42
	First PAL	433		Nikon Go Digital	303		synchrony Easy M	43
	Golf	434		Nikon i	304		synchrony Easy M HD	44
	Gradal Individual	26		Nikon i Digital	305		synchrony Easy S	45
	Gradal Shorti	28		Nikon W	307		synchrony Easy S HD	46
	Gradal Top	29		Nikon W	315		synchrony Easy View	47
	GT2	30		Nikon W Short	316		synchrony Easy View HD	48
	GT2 3D	31		Novel	477		synchrony Easy Wear HD	50
	GT2 3D Short	33		Outlook	479		synchrony Performance HD (13, 15, 17, 19)	51
	GT2 Short	34		Ovation	116		synchrony Performance HDV	52
	Hoyalux GP	248		Ovation	151		synchrony Ultra HD (13, 15, 17, 19, 21)	54
	Hoyalux GPW	249		Ovation ADS	117		synchrony Ultra HDC	55
	HyperPro	331		Ovation ADS (Canada)	152		synchrony Ultra HDV	56
	ID InStyle	251		Ovation ADS Short (Canada)	153		synchrony Work & Go HD	57
	ID Lifestyle	252		Ovation Digital	154		synchrony Work & Office HD	58
	iD LifeStyle 2 Clarity	253		Ovation DS (Canada)	155		synchrony Work & Read HD	59
	ID LifeStyle 2 Clarity cd	254		Percepta	459		TACT 40 BKS and TACT 60 BKS	263
	ID LifeStyle 2 Harmony	255		Presio Digital i Short	317		Ultimate HD	470
	ID LifeStyle 2 Harmony cd	256		Presio i	318		Umbramatic SR Gradal HS	60
	ID Lifestyle cd	257		Presio i Digital	319		UNITY PLx	480
	ID Mystyle	258		Presio i Digital 12	320		UNITY PLxtra	481
	identity pro	329		Presio i Digital 14	321		Unity PLxtreme	482
	Illumina	476		Presio i Digital Short	322		Universa HD Office (075, 125, 175)	61
	Impression 2 XS, M, or L	382		Presio i Short	323		Universa2 HD	62
	Impression Ergo 2 Book	383		Presio Power 12/13/14	308		Varilux Ipseo IV	160
	Impression Ergo 2 PC or Room	384		Presio Power 12/13/14	324		Varilux Comfort	161
	Impression Ergo FreeSign 2	385		Pro-Freedom Solace	198		Varilux Comfort Drx	162
	Impression FreeSign 2	386		Progressiv ClassicLife	397		Varilux Comfort Enhanced	163
	Impression Hyperop	387		Progressiv ClassicLife XS	398		Varilux Comfort Short	164
	Impression Hyperop XS	388		Progressiv Life 2	399		Varilux Comfort Short DRx	165
	Impression Myop	389		Progressiv Life 2 XS	400		Varilux Comfort W3+	166
	Impression Myop XS	390		Progressiv Purelife	401		Varilux Comfort W3+ eyecode	167
	Intellego 3	264		Progressiv Purelife XS	402		Varilux Comfort W3+ Fit	168
	Intellego 3 14	265		ProgressivPureLife Free XS,M,L	403		Varilux Ellipse	169
	Intellego 3 16	266		Proprius DS	297		Varilux Ellipse / Ellipse 360	121
	Intellego 3 18	267		PureSite Easy Fit	107		Varilux Ellipse 360°	170
	KODAK DSII	446		PureSite Enhanced	108		Varilux Ipseo IV	171
	KODAK Precise PB	448		PureSite Premier	109		Varilux Ipseo IV eyecode	172
	KODAK Precise Short PB	450		PureSite Ultima	110		Varilux Physio	173
	KODAK SoftWear	451		SeeMax Power 12/13/14	309		Varilux Physio 360°	174
	Kodak Unique	452		SeeMax Power 12/13/14	325		Varilux Physio DRx	175
	KODAK Unique DRO	453		SeeMaxProgressive 12	310		Varilux Physio Enhanced	176
	KODAK Unique DRO HD	454		SeeMaxProgressive 14	311		Varilux Physio Enhanced Azio	177
	MOVE	300		Shoreview Mini ES	439		Varilux Physio Enhanced	178
	Move Digital 13	312		Smallfit	156		eyecode	
	Move Digital 15	313		SmallFit / SmallFit DS	118		Varilux Physio Enhanced Fit	179
	MOVE Short	301		SmallFit Digital	157		Varilux Physio Enhanced India	180
	Multigressiv MyView 2 XS, M, L	392		SOLA HDV	460		Varilux Physio Short	181
							Varilux Physio Short 360°	182

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.75	Varilux Physio Short DRx	183	to 3.50	Advanced HD	469	to 3.50	Essilor Ideal	136
	Varilux Physio W3+	184		Amplitude	240		Essilor Ideal Advanced	137
	Varilux Physio W3+ eyecode	185		Amplitude BKS	241		Essilor Ideal Advanced Fit	138
	Varilux Physio W3+ Fit	186		Amplitude iQ	242		Essilor Ideal Computer	140
	Varilux S 4D	187		Amplitude Mini	243		Essilor Ideal Driving	141
	Varilux S Design	188		Amplitude Mini BKS	244		Essilor Ideal Fit	142
	Varilux S Design Short	189		Amplitude Mini iQ	245		Essilor Ideal Sport	144
	Varilux S Fit	190		AO b'Active	1		Essilor Natural	145
	Varilux Sport	122		AO Easy	2		Essilor Natural / Natural DS	115
	Varilux Sport	191		AO Easy HD	10		Essilor Natural Digital	146
	Varilux Stylistic	192		AO Force 55	3		Executive/ ShoreView ES	437
	Varilux X	193		APEX	97		Expert DNA™	204
	Varilux X 4D	194		Array	246		Expert Elite C™	205
	Varilux X Fit	195		Array Wrap	247		Expert Extreme C™	208
	VIP	63		Attitude III Fashion 15	420		Expert RNA™	211
	VIP Gold	462		Attitude III Fashion 18	421		Expert Tween™ 1.3; 2.0; 4.0	214
	Visuality	463		Attitude III Sport	422		First PAL	433
	WorkSpace	436		Augen HD Trinity Spacia SF	11		Futureise	333
	Wrap HD	471		Autograph II Attitude	424		Geo-FORM 11	335
	XL	464		Autograph II Office	425		Geo-FORM 13	336
	XL Gold	465		Autograph II Office	425		Geo-FORM 15	337
	ZEISS Choice (13, 15, 17, 19)	65		Autograph Intelligence Fixed & VARI.	427		Geo-FORM AW 10	338
	ZEISS Choice Plus (13, 15, 17, 19, 21)	66		Autograph II+ Fixed & VARI.	428		Geo-FORM AW 12	339
	ZEISS Choice Plus V	67		Ce-Tru Normal Corridor	278		Geo-FORM AW 14	340
	ZEISS Digital Lens	68		CLEARi Absolute-W 12	98		Geo-FORM EZ 13	341
	ZEISS DriveSafe	69		CLEARi DED 14	99		Geo-FORM EZ 15	342
	ZEISS DriveSafe Individual	70		CLEARi DED 16	100		Geo-FORM EZ S 11	343
	ZEISS EnergizeMe (14, 16, 18)	71		CLEARi DED 19	101		Geo-FORM EZ S 13	344
	ZEISS EnergizeMe Digital	72		CLEARi OFFICE BOOK	102		Golf	434
	ZEISS Experience HD2	75		CLEARi OFFICE COMPUTER	103		Gradal Individual	26
	ZEISS Individual	78		CLEARi OFFICE ROOM	104		Gradal Shorti	28
	ZEISS Individual 2	79		Compact ULTRA HD	458		Gradal Top	29
	ZEISS Light D (14, 18)	80		Constitution HD	220		GT2	30
	ZEISS Light H (14, 16, 18)	81		Constitution Short HD	221		GT2 3D	31
	ZEISS Light V	82		COZE HDW	374		GT2 3D 3DV	32
	ZEISS Officelens Book	85		COZE SOFT	375		GT2 3D Short	33
	ZEISS Officelens Desk	86		COZE WRAP	376		GT2 Short	34
	ZEISS Officelens Room	87		Crossbows Custom U	440		Hoyalux GP	248
	ZEISS Plus 2 Short Sport	88		Crossbows Custom V	441		Hoyalux GPW	249
	ZEISS Plus 2 Sport	89		Crossbows Junior	442		HyperPro	331
	ZEISS Precision Plus	90		DirecTek	443		ID InStyle	251
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		DirecTek Short	444		ID Lifestyle	252
	ZEISS Precision Superb	92		DLS Advanced PAL	215		iD LifeStyle 2 Clarity	253
	ZEISS SmartLife Individual	93		DLS PAL	218		ID LifeStyle 2 Clarity cd	254
	ZEISS SmartLife Plus	94		DLS Pro PAL	219		ID LifeStyle 2 Harmony	255
	ZEISS SmartLife Pure (S, M, L)	95		Elan HD	17		ID LifeStyle 2 Harmony cd	256
	ZEISS SmartLife Superb	96		Elan HD Short	18		ID Lifestyle cd	257
to 3.50	Accolade	123		Elan HDV	19		ID Mystyle	258
	Accolade Freedom	124		Element	431		Illumina	476
	Acuity 9/11/13	326		Element Short	432		Impression 2 XS, M, or L	382
	Adage	494		epik Day	233		Impression Ergo 2 Book	383
	Adaptar	125		epik iBifocal	235		Impression Ergo 2 PC or Room	384
	Adaptar DS	112		epik Office HD	236		Impression Ergo FreeSign 2	385
	Adaptar DS (Canada)	127		epik Standard	237		Impression FreeSign 2	386
	Adaptar DS Short (Canada)	128		epik Variable	238		Intellego 3	264
				epik Variable Device	239			

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
3.50	Intellego 3 14	265	3.50	Proceed II Short	409	3.50	UNITY PLXtra	481
	Intellego 3 16	266		Proceed III Super Short	410		Unity PLxtreme	482
	Intellego 3 18	267		Progressiv Life 2	399		Unity Via OfficePro 10ft	486
	iRx Pro	275		Progressiv Purelife	401		Unity Via OfficePro 5ft	487
	KODAK DSII	446		ProgressivPureLife Free XS,M,L	403		Universa HD Office (075, 125, 175)	61
	KODAK Precise PB	448		Promult	291		Universa2 HD	62
	KODAK Precise Short PB	450		Proprius DS	297		Varilux Ipseo IV	160
	KODAK SoftWear	451		PureSite Easy Fit	107		Varilux Comfort	161
	Kodak Unique	452		PureSite Enhanced	108		Varilux Comfort Drx	162
	KODAK Unique DRO	453		PureSite Premier	109		Varilux Comfort Enhanced	163
	KODAK Unique DRO HD	454		PureSite Ultima	110		Varilux Ipseo IV	171
	Micro	334		SeeMax Power 12/13/14	309		Varilux Ipseo IV eyecode	172
	MOVE	300		SeeMax Power 12/13/14	325		Varilux Physio Enhanced	176
	Move Digital 13	312		SeeMaxProgressive 12	310		Varilux Sport	122
	Move Digital 15	313		SeeMaxProgressive 14	311		Varilux Sport	191
	MOVE Short	301		Smallfit DS (Canada)	158		Varilux Stylistic	192
	Multigressiv MyView 2 XS, M, L	392		SOLA HDV	460		VIP	63
	Mvp Platinum Plastic II	287		SOLAOne HD	461		VIP Gold	462
	MyView Ergo 2 Book	393		Spectrum	435		Vista	377
	MyView Ergo 2 PC or Room	394		Succeed	411		VISTA CP	378
	Natural DS (Canada)	147		Succeed WS	412		VISTA WS	379
	Navigator FBS	455		Summit cd	259		Visuality	463
	Nikon Eyes Advanced	148		Summit cd iQ	260		WorkSpace	436
	Nikon Eyes Customized	150		Super No-Line	159		Wrap HD	471
	Nikon Go	302		Supercede	413		X-Pro Discovery	200
	Nikon Go Digital	303		Supercede II	414		X-Pro Discovery Plus	201
	Nikon i	304		Supercede WS	415		X-Pro Discovery Xtra	202
	Nikon i Digital	305		Supernal	417		XL	464
	Nikon W	307		Surmount	418		XL Gold	465
	Nikon W	315		Surmount Ws	419		ZEISS Choice (13, 15, 17, 19)	65
	Nikon W Short	316		Synchrony	37		ZEISS Choice Plus (13, 15, 17, 19, 21)	66
	Novel	477		synchrony Access HD (075, 125, 175)	39		ZEISS Choice Plus V	67
	Novella Short Corridor	478		synchrony Curves HDC	40		ZEISS Digital Lens	68
	Outlook	479		synchrony Easy Adapt	41		ZEISS DriveSafe	69
	Ovation	116		synchrony Easy Adapt HD	42		ZEISS DriveSafe Individual	70
	Ovation	151		synchrony Easy M	43		ZEISS EnergizeMe (14, 16, 18)	71
	Ovation ADS	117		synchrony Easy M HD	44		ZEISS EnergizeMe Digital	72
	Ovation ADS (Canada)	152		synchrony Easy S	45		ZEISS Experience HD2	75
	Ovation Digital	154		synchrony Easy SHD	46		ZEISS Individual 2	79
	Ovation DS (Canada)	155		synchrony Easy View	47		ZEISS Light D (14, 18)	80
	Percepta	459		synchrony Easy View HD	48		ZEISS Light H (14, 16, 18)	81
	Perfas Premier II	407		synchrony Easy Wear	49		ZEISS Light V	82
	Perfas Prominent	408		synchrony Easy Wear HD	50		ZEISS Officelens Book	85
	PolySensus	290		synchrony Performance HD (13, 15, 17, 19)	51		ZEISS Officelens Desk	86
	Presio Digital i Short	317		synchrony Performance HDV	52		ZEISS Officelens Room	87
	Presio i	318		synchrony Ultra HD (13, 15, 17, 19, 21)	54		ZEISS Plus 2 Short Sport	88
	Presio i Digital	319		synchrony Ultra HDC	55		ZEISS Plus 2 Sport	89
	Presio i Digital Short	322		synchrony Ultra HDV	56		ZEISS Precision Plus	90
	Presio i Short	323		synchrony Work & Go HD	57		ZEISS Precision Pure (13, 15, 17, 19, 21)	91
	Presio Power 12/13/14	308		synchrony Work & Office HD	58		ZEISS Precision Superb	92
	Presio Power 12/13/14	324		synchrony Work & Read HD	59		ZEISS SmartLife Individual	93
	Pro-Freedom	196		TACT 40 BKS and TACT 60 BKS	263		ZEISS SmartLife Plus	94
	Pro-Freedom Plus	197		Ultimate HD	470		ZEISS SmartLife Pure (S, M, L)	95
	Pro-Freedom Solace	198		Umbromatic SR Gradal HS	60		ZEISS SmartLife Superb	96
	Pro-Freedom Sports	199		UNITY PLx	480	4.00	Autograph II -Fixed & Var. Des	423

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 4.00	Autograph III Fixed & VAR.	426	to	Varilux Physio Enhanced	178	to 4.50	Expert Elite™	206
	Balance Digital 12	298	4.00	eyecode			Expert Essential®	207
	Balance Digital 14	299		Varilux Physio Enhanced Fit	179		Expert Extreme™	209
	Definity 3	132		Varilux Physio Enhanced India	180		Persona Quattro	369
	Definity 3 Plus	133		Varilux Physio W3+	184		Persona Quattro Sport	370
	EasyLux	105		Varilux Physio W3+ eyecode	185		TR1-Far AW 14	345
	identity home 9/11/13	327		Varilux Physio W3+ Fit	186		TR1-Far AW 16	346
	identity play 9/11/13	328		Varilux S 4D	187		TR1-Far AW 18	347
	identity smart 9/11/13	330		Varilux S Design	188		TR1-Far AW 20	348
	Persona	362		Varilux S Design Short	189		TR2-Basic 14	349
	Persona G4	364		Varilux S Fit	190		TR2-Basic 16	350
	Persona Phd	366		Varilux X	193		TR2-Basic 18	351
	Persona Phd Distance	367		Varilux X 4D	194		TR2-Basic 20	352
	Persona Phd Near	368		Varilux X Fit	195		TR3-Demand AW 14	353
	Presio i Digital 12	320		XP HD	380		TR3-Demand AW 16	354
	Presio i Digital 14	321	to	COZE ADL ADVANCED	372		TR3-Demand AW 18	355
	Privo Advance	106	4.50				TR3-Demand AW 20	356
	Signature HD	371		COZE CASATA	373		TR4-Highway AW	357
	Summit ecp	261		DLS Camber Near	217		TR5-Zone 13	358
	Summit ecp iQ	262		Eagle	222		TR8-Active AW 15	359
	Superior	416		Eagle Apprentice	223		TR8-Active AW 17	360
	Varilux Comfort W3+	166		Eagle Balance	224		TR8-Active AW 19	361
	Varilux Comfort W3+ eyecode	167		Eagle Driver	225		Unity Via	483
	Varilux Comfort W3+ Fit	168		Eagle PC	226		Unity Via Elite	484
	Varilux Physio	173		Eagle Precision	227		Unity Via Mobile	485
	Varilux Physio 360°	174		Eagle Sport	228		Unity Via Plus	488
	Varilux Physio DRx	175		Eagle Ultra Short	229		Unity Via Wrap	489
	Varilux Physio Enhanced Azio	177		Eagle Workplace	230			
				Eaglet	231			
				Eaglet Balance	232			

Index of Companies

Company Name	Item #	Company Name	Item #
American Optical	9	Nikon Optical Canada	298
Augen Optics	11	Nikon Optical USA	312
Carl Zeiss Vision	15	PFO Global	326
Classic Optical Laboratories, Inc.	97	PFO Optima LLC	331
CLEARi	98	Polycore Optical	333
Dehlawi Optical Industries	105	Rite-Style Optical Company, Inc.	335
Diversified Ophthalmics, Inc.	107	Riverside Opticalab Ltd.	362
Essilor Canada	111	Robertson Optical Laboratories, Inc.	372
Essilor of America	123	Rodenstock Canada	381
Excelite, Inc.	196	Seiko Optical Products	404
Expert Optics	204	Shamir Insight Inc.	420
Eye Kraft Optical, Inc.	215	Shore Lens Company	437
FEA Industries, Inc.	220	Signet Armorlite, Inc.	440
GSRx	233	SOLA Optical	458
Hoya Vision Care - Dallas	240	SOMO Optical	466
Interstate Optical	264	Sutherlin Optical, Inc.	468
IOT	268	US Optical	469
KBco, Inc.	273	Vision Dynamics Lab/Optical Dynamics	472
L.B.I.	278	Vision Warehouse	475
Landon Lens	283	Vision-Ease Lens, Inc.	476
Lenscrafters	289	VSP	480
MacLens Optical	290	Walman - Soderberg	490
Maui Jim	292	X-CEL Optical	491
Melibrad	293	Younger Optics	494
Nassau Lens Company	296	Zeal Optics	497
Nexus Vision Group	297		

Index by Recommended Minimum Height

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
10mm	Eagle Ultra Short	229	13mm	synchrony Performance HD (13, 15, 17, 19)	51	14mm	Expert Essential®	207
11mm	AO Easy	9		synchrony Performance	52		Expert Extreme C™	208
	Autograph II -Fixed & Var. Des	423		HDV			Expert Extreme™	209
	Autograph III Fixed & VAR.	426		synchrony Ultra HD (13, 15, 17, 19, 21)	54		Expert RNA™	211
	Autograph Intelligence Fixed & VARI.	427		synchrony Ultra HDC	55		Expert Tween™ 1.3; 2.0; 4.0	214
	Autograph II+ Fixed & VARI.	428		synchrony Ultra HDV	56		Geo-FORM AW 10	338
	Blue IQ Variable Progressive	289		Universa2 HD	62		ID InStyle	251
12mm	Unity Via	483		Varilux Ellipse 360°	170		ID LifeStyle 2 Clarity cd	254
	Unity Via Elite	484		ZEISS Choice (13, 15, 17, 19)	65		ID LifeStyle 2 Harmony cd	256
	Unity Via Mobile	485		ZEISS Choice Plus (13, 15, 17, 19, 21)	66		ID Lifestyle cd	257
	Unity Via Plus	488		ZEISS Choice Plus V	67		Impression 2 XS, M, or L	382
	Unity Via Wrap	489		ZEISS Digital Lens	68		Impression Ergo 2 Book	383
13mm	Adage	494		ZEISS DriveSafe	69		Impression Ergo FreeSign 2	385
	Autograph III Fixed & VAR.	426		ZEISS DriveSafe Individual	70		Impression Hyperop XS	388
	Autograph Intelligence Fixed & VARI.	427		ZEISS Experience HD2	75		Impression Myop XS	390
	Autograph II+ Fixed & VARI.	428		ZEISS Experience Short	76,77		iRx Short	276
	Compact ULTRA HD	458		ZEISS Individual	78		Kodak Concise	445
	Crossbows Custom U	440		ZEISS Individual 2	79		Multigressiv MyView 2 XS, M, L	392
	Crossbows Custom V	441		ZEISS Light V	82		MyView Ergo 2 Book	393
	Crossbows Junior	442		ZEISS Officelens Book	85		Navigator Short	457
	DLS Advanced PAL	215		ZEISS Officelens Desk	86		Nikon Eyes Advanced Short	149
	DLS PAL	218		ZEISS Officelens Room	87		Novella Short Corridor	478
	DLS Pro PAL	219		ZEISS Precision Plus	90		Perfas Premier II	407
	Elan HD Short	18		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Perfas Prominent	408
	Elan HDV	19		ZEISS Precision Superb	92		Progressiv ClassicLife XS	398
	epik Day	233		ZEISS SmartLife Individual	93		Progressiv Life 2 XS	400
	Essilor Anti-Fatigue	134		ZEISS SmartLife Plus	94		Progressiv Purelife XS	402
	Essilor Ideal Computer	140		ZEISS SmartLife Superb	96		ProgressivPureLife Free XS,M,L	403
	Expert DNA™	204	13.5mm	DirecTek Short	444		PureSite Enhanced	108
	Expert RNA™	211	14mm	Adaptar Short Digital	129		PureSite Premier	109
	GT2 3D 3DV	32		Advanced HD	469		PureSite Ultima	110
	GT2 3D Short	33		Amplitude Mini	243		Signature HD	371
	GT2 Short	34		Amplitude Mini BKS	244		Smallfit	156
	Impression FreeSign 2	386		Amplitude Mini iQ	245		SmallFit Digital	157
	Intellego 3	264		APEX	97		Spectrum	435
	Intellego 3 14	265		Channel 14 Plastic II	283		Summit cd	259
	Intellego 3 16	266		Channel 14 Poly II	284		Summit cd iQ	260
	Intellego 3 18	267		Channel 14 Variations Poly	286		Supercede II	414
	KODAK DSII	446		Pho			Supercede WS	415
	Kodak Precise Short	449		ClassicLife Free XS. M or L	381		Supernal	417
	KODAK Precise Short PB	450		CLEARi Absolute-W 12	98		Supernatural	418
	Kodak Unique	452		Computer	430		Surmount	418
	KODAK Unique DRO	453		DLS Anti-Fatigue	216		Surmount Ws	419
	KODAK Unique DRO HD	454		DLS Camber Near	217		synchrony Starter HD	53
	Nexyma Reading (40)	396		Eagle	222		TR1-Far AW 14	345
	Persona G4	364		Eagle Balance	224		TR2-Basic 14	349
	Persona Novice	365		Eagle PC	226		TR3-Demand AW 14	353
	Persona Phd	366		Eagle Precision	227		Ultimate HD	470
	Persona Phd Distance	367		Eaglet	231		Unity PLxtreme	482
	Persona Phd Near	368		Eaglet Balance	232		Unity Via OfficePro 10ft	486
	Persona Quattro	369		epik Office HD	236		Unity Via OfficePro 5ft	487
	SOLA HDV	460		epik Standard	237		Varilux Ipseo IV	160
	synchrony Curves HDC	40		Essilor Ideal Fit	142		Varilux Comfort Enhanced	163
	synchrony Easy M	43		Essilor Ideal Short	143		Varilux Comfort Short	164
	synchrony Easy S HD	46		Essilor Natural Digital	146		Varilux Comfort Short DRx	165
				Expert Elite C™	205		Varilux Comfort W3+	166
				Expert Elite™	206			


Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
14mm	Varilux Comfort W3+ eyecode	167	15mm	Gradal Brevis 1.5	21	16mm	identity play 9/11/13	328
	Varilux Comfort W3+ Fit	168		Gradal Brevis 1.6	22		identity smart 9/11/13	330
	Varilux Ellipse	169		Gradal Shorti	28		inMotion	268
	Varilux Ellipse / Ellipse 360	121		ID Mystyle	258		IOT Endless Plus 0.50D	270
	Varilux Ipseo IV	171		identity pro	329		IOT Endless Plus 0.75D	271
	Varilux Ipseo IV eyecode	172		Nikon Eyes Customized	150		IOT Endless Plus 1.00D	272
	Varilux Physio Enhanced	176		Nikon Online	306,314		Micro	334
	Varilux Physio Enhanced	177		Nikon W Short	316		Move Digital 13	312
	Azio			Ovation ADS Short (Canada)	153		MOVE Short	301
	Varilux Physio Enhanced eyecode	178		PCWide	406		Nikon i	304
	Varilux Physio Enhanced Fit	179		Persona Office	363		Nikon i Digital	305
	Varilux Physio Enhanced	180		Persona Quattro Sport	370		Novel	477
	India			Presio i Digital 12	320		Paradigm Short	474
	Varilux Physio Short	181		Pro-Freedom	196		Corridor	
	Varilux Physio Short 360°	182		Pro-Freedom Plus	197		Polar-Ray Progressive	295
	Varilux Physio Short DRx	183		Pro-Freedom Sports	199		PolySensus	290
	Varilux Physio W3+	184		PureSite Easy Fit	107		Presio Digital i Short	317
	Varilux Physio W3+ eyecode	185		SeeMaxProgressive 12	310		Presio i Digital Short	322
	Varilux Physio W3+ Fit	186		ShoreView / Shoreview Mini	438		Presio i Short	323
	Varilux S 4D	187		Shoreview Mini ES	439		Proceed III Super Short	410
	Varilux S Design Short	189		SmallFit / SmallFit DS	118		Proprius DS	297
	Varilux S Fit	190		Smallfit DS (Canada)	158		Spectrum	435
	WorkSpace	436		Succeed WS	412		synchrony Work & Office HD	58
	Wrap HD	471		synchrony Access	38		synchrony Work & Read HD	59
	ZEISS EnergizeMe (14, 16, 18)	71		synchrony Access HD (075, 125, 175)	39		TR1-Far AW 16	346
	ZEISS EnergizeMe Digital	72		synchrony Easy M HD	44		TR2-Basic 16	350
	ZEISS Light D (14, 18)	80		synchrony Easy S	45		TR3-Demand AW 16	354
	ZEISS Light H (14, 16, 18)	81		TR8-Active AW 15	359		ZEISS Business	64
	ZEISS MyoKids Pro	83		Universa HD Office (075, 125, 175)	61		ZEISS EnergizeMe (14, 16, 18)	71
	ZEISS MyoKids Pro Individual	84		ZEISS Choice (13, 15, 17, 19)	65		ZEISS Experience	73,74
	ZEISS Plus 2 Short Sport	88		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		ZEISS Light H (14, 16, 18)	81
	ZEISS SmartLife Pure (S, M, L)	95	16mm	Acuity 9/11/13	326		ZEISS SmartLife Pure (S, M, L)	95
15mm	Accolade Freedom	124		Autograph II Office	425	16.5mm	DirecTek	443
	Adaptar DS Short (Canada)	128		Autograph Relax	429	17mm	Accolade	123
	Attitude III Fashion 15	420		Ce-Tru Short Corridor	280		AF2	404
	Autograph II Attitude	424		Ce-Tru Short Corridor	281		AugenSol HD Trinity 13/17	12
	Autograph III Fixed & VAR.	426		Photochr			Balance Digital 14	299
	Autograph Intelligence Fixed & VARI.	427		Channel 14 Variations Gray & B	285		CLEARi OFFICE BOOK	102
	Autograph II+ Fixed & VARI.	428		Clarlet Business	15		Constitution HD	220
	Balance Digital 12	298		CLEARi DED 14	99		Elan HD	17
	Constitution Short HD	221		Eagle Apprentice	223		EOS	273
	Continuum	16		Eagle Sport	228		EOS Wrap	274
	Definity Short	114,131		Element Short	432		Essilor Ideal	136
	Definity 3	132		Expert Elite C™	205		Essilor Ideal Advanced	137
	Definity 3 Plus	133		Expert Elite™	206		Essilor Ideal Advanced Fit	138
	epik Variable	238		Expert Essential®	207		Essilor Ideal Advanced	139
	epik Variable Device	239		Expert Extreme C™	208		Wrap	
	Essilor Computer	135		Expert Extreme™	209		Expert DNA™	204
	Expert DNA™	204		Expert RNA™	211		Expert Elite C™	205
	Expert Elite C™	205		Expert Sport Wrap XPV™ (progressive)	212		Expert Elite™	206
	Expert Elite™	206		EZ View Mini	466		Expert Essential®	207
	Expert Essential®	207		Geo-FORM 11	335		Expert Extreme C™	208
	Expert Extreme C™	208		Geo-FORM AW 12	339		Expert Extreme™	209
	Expert Extreme™	209		Geo-FORM 11	335		Expert RNA™	211
	Expert RNA™	211		Gradal Brevity 1.59	23		Freedom ID	491,492,493
	First PAL	433		Gradal Brevity 1.67	24		Geo-FORM EZ 13	341
	Geo-FORM EZ S 11	343		identity home 9/11/13	327		Geo-FORM EZ S 13	344

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
17mm	GT2	30	18mm	CLEARi OFFICE ROOM	104	18mm	Presio i Digital	319
	GT2 3D	31		Continual Focus Lens (CFL)	472		Proceed II Short	409
	HD Trinity 13/17 SF	13		Definity	113,130		Progressiv ClassicLife	397
	HyperPro	331		Eagle Driver	225		Progressiv Life 2	399
	Illumina	476		Eagle Workplace	230		Progressiv Purelife	401
	Kodak Precise	447		Essilor Ideal Driving	141		Promult	291
	KODAK Precise PB	448		Essilor Ideal Sport	144		Resolution Response	332
	KODAK SoftWear	451		Essilor Natural	145		SOLAOne HD	461
	Nikon Eyes Advanced	148		Essilor Natural / Natural DS	115		Stealth 15	475
	Nikon W	307,315		Executive/ ShoreView ES	437		Summit ecp	261
	Ovation	116,151		Expert Elite C™	205		Summit ecp iQ	262
	Ovation ADS	117		Expert Elite™	206		synchrony Easy Adapt	41
	Ovation ADS (Canada)	152		Expert Essential®	207		synchrony Easy Adapt HD	42
	Ovation Digital	154		Expert Extreme C™	208		synchrony Easy Wear	49
	Overture	468		Expert Extreme™	209		synchrony Easy Wear HD	50
	Presio i Digital 14	321		Expert Relief™ 50 and 75	210		TACT 40 BKS and TACT 60	263
	Pro-Freedom Solace	198		Expert RNA™	211		BKS	
	SeeMaxProgressive 14	311		Expert Sport Wrap XPV™	212		TR1-Far AW 18	347
	SOLAMAX	36		(progressive)			TR2-Basic 18	351
	Succeed	411		Expert Tween™ 1.3; 2.0; 4.0	214		TR3-Demand AW 18	355
	Synchrony	37		Futureise	333		TR4-Highway AW	357
	synchrony Easy View	47		Geo-FORM 13	336		TR5-Zone 13	358
	synchrony Easy View HD	48		Geo-FORM AW 14	340		TruVision Technica	8
	synchrony Work & Go HD	57		Golf	434		Variations	288
	TR8-Active AW 17	360		Gradal Individual	26		Varilux Comfort / Comfort	120
	Varilux Comfort	161		Gradal Top	29		DSx	
	Varilux Comfort Drx	162		Hoyalux GP	248		Varilux Sport	122,191
	Varilux Physio	173		Hoyalux GPW	249		Varilux Stylistic	192
	Varilux Physio 360°	174		Hoyalux Tact (EP40 and 60)	250		VIP	63
	Varilux Physio DRx	175		ID Lifestyle	252		VIP Gold	462
	Varilux S Design	188		iD LifeStyle 2 Clarity	253		Visuality	463
	Varilux X	193		ID LifeStyle 2 Harmony	255		X-Pro Discovery Xtra	202
	Varilux X 4D	194		Image	495		X-Pro Maxima Plus	203
	Varilux X Fit	195		Image	496		XL	464
	Xplore	277		Impression Ergo 2 PC or Room	384		XL Gold	465
	ZEISS Choice (13, 15, 17, 19)	65		Impression Hyperop	387		Zeal Digital Progressive	497
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Impression Myop	389		ZEISS EnergizeMe (14, 16, 18)	71
18mm	Adaptar	125		Impression Sport 2	391		ZEISS Light D (14, 18)	80
	Adaptar Digital	126		inMotion	268		ZEISS Light H (14, 16, 18)	81
	Adaptar DS	112		IOT Endless Plus 0.50D	270		ZEISS Plus 2 Sport	89
	Adaptar DS (Canada)	127		IOT Endless Plus 0.75D	271	19mm	ZEISS SmartLife Pure (S, M, L)	95
	AO b'Active	1		IOT Endless Plus 1.00D	272		Amplitude	240
	AO Easy	2		iRx Pro	275		Amplitude BKS	241
	AO Easy HD	10		Melibrad Progressive	293		Amplitude iQ	242
	AO Force 55	3		MOVE	300		DC mini	405
	AO Pro 15	4		Move Digital 15	313		Element	431
	AO Pro 16	5		Mvp Platinum Plastic II	287		Expert DNA™	204
	Attitude III Fashion 18	421		MyView Ergo 2 PC or Room	394		Expert Elite C™	205
	Attitude III Sport	422		Natural DS (Canada)	147		Expert Elite™	206
	Autograph II Attitude	424		Navigator FBS	455		Expert Essential®	207
	Autograph III Fixed & VAR.	426		Nikon Go	302		Expert Extreme C™	208
	Autograph Intelligence Fixed & VARI.	427		Nikon Go Digital	303		Expert Extreme™	209
	Autograph II+ Fixed & VARI.	428		Outlook	479		Geo-FORM EZ 15	342
	CLEARi DED 16	100		Ovation DS (Canada)	155		Nalco Progressive	296
	CLEARi OFFICE COMPUTER	103		Percepta	459		Spectrum	435
				Presio i	318		TR8-Active AW 19	361
							ZEISS Choice (13, 15, 17, 19)	65

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
19mm	ZEISS Precision Pure (13, 15, 17, 19, 21)	91	21mm	Super No-Line	159	Several	COZE WRAP	376
				ZEISS Precision Pure (13, 15, 17, 19, 21)	91		EasyLux	105
20mm	Expert Elite C™	205	22mm	Augen HD Trinity Spacia SF	11		Expert Elite™	206
	Expert Elite™	206		Ce-Tru Normal Corridor	278		Expert Essential®	207
	Expert Essential®	207		Ce-Tru Polarized Progressive	279		Expert Extreme™	209
	Expert Extreme C™	208		Ce-Tru SunSensor	282		Expert RNA™	211
	Expert Extreme™	209		Ce-Tru SunSensor	282		Maui Passport Progressive	292
	EZ View Std	467		Gradal HS (All)	25		Persona	362
	Geo-FORM 15	337		Polar-Ray Progressive	294		Presio Power 12/13/14	308,324
	Gradal 3	20		Punktal Gradal HS	35		Privo Advance	106
	Navigator Precision	456		TruVision	6		SeeMax Power 12/13/14	309,325
	Nexyma Computer (80)	395		TruVision Omni	7		Supercede	413
	Paradigm Progressive	473		Umbramatic SR Gradal HS	60		UNITY PLx	480
	TR1-Far AW 20	348	Several	Acclaim OEM PAL #1 and #2**	490		UNITY PLxtra	481
	TR2-Basic 20	352		Array	246		Vista	377
	TR3-Demand AW 20	356		Array Wrap	247		VISTA CP	378
	X-Pro Discovery	200		COZE ADL ADVANCED	372		VISTA WS	379
	X-Pro Discovery Plus	201		COZE CASATA	373		XP HD	380
21mm	CLEARi DED 19	101		COZE HDW	374			
	Gradal RD	27		COZE SOFT	375			

AO b'Active

1



This lens was discontinued in 2010



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Easy

2



This lens was discontinued in 2017



no symbol



Materials:
Plastic (CR39 and 1.50)
Polycarbonate



Filters:
Photochromic
Polarized

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

AO Force 55

3



This lens was discontinued in 2009



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Pro 15

4



This lens was discontinued in 2009



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Pro 16

5



This lens was discontinued in 2009




Materials:
Plastic High Index (1.60)

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

TruVision

6



This lens was discontinued in 2009


M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

TruVision Omni

7



This lens was discontinued in 2009


M

Materials:
Plastic (CR39 and 1.50)
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

TruVision Technica

8



This lens was discontinued in 2009

M

Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

American Optical | AO Easy

9



This lens was discontinued in 2017

M

7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
11mm
Available as: Clear; Photochromic;
Available in: US and Canada

American Optical | AO Easy HD

10



This lens was discontinued in 2017

M

H

T

P

F

M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Augen Optics | Augen HD Trinity Spacia SF

11



Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Augen Optics | AugenSol HD Trinity 13/17

12



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 13/17 SF

13



no symbol

no symbol

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 8/12 SF

14



Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Clarlet Business

15




This lens was discontinued in 2010

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Continuum

16



M
CP

Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Elan HD

17



M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Elan HD Short

18



M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Elan HDV

19




M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Gradal 3

20



M


Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: Canada Only

This lens was discontinued in 2009

Carl Zeiss Vision | Gradal Brevis 1.5

21



This lens was discontinued in 2010


M
50

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevis 1.6

22



This lens was discontinued in 2010

M
60

Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevity 1.59

23



This lens was discontinued in 2009

M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal Brevity 1.67

24



This lens was discontinued in 2009

M

Materials:
Plastic High Index (1.66 - 1.67)

PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal HS (All)

25



This lens was discontinued in 2005


M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Gradal Individual

26



This lens was discontinued in 2010

M

60

66

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal RD

27



This lens was discontinued in 2016

M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

21mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Shorti

28



This lens was discontinued in 2010

M

60

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Top

29



This lens was discontinued in 2013

M

50

58

60

66

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2

30



This lens was discontinued in 2013

M

50

59

60

67

60

80

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2 3D

31



This lens was discontinued in 2016

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D 3DV

32



This lens was discontinued in 2016

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D Short

33



This lens was discontinued in 2016

M

50
59
60
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 Short

34



This lens was discontinued in 2016

M


50
59
60
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Punktal Gradal HS

35



This lens was discontinued in 2005

M

Materials:
Glass High Index (> 1.60)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | SOLAMAX

36



M

H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Synchrony

37



M

H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Access

38



M


AC
ACP

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | synchrony Access HD (075, 125, 175)

39



M


H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Curves HDC

40



M

Materials:

Plastic (CR39 and 1.50)

H

Trivex

T

P

Polycarbonate

F

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt

41



M

Materials:

Plastic (CR39 and 1.50)

H

Polycarbonate

P

Plastic High Index (1.60)

F

Plastic High Index (1.66 - 1.67)

M

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt HD

42



M

Materials:

Plastic (CR39 and 1.50)

H

Trivex

T

Polycarbonate

P

Plastic High Index (1.60)

F

Plastic High Index (1.66 - 1.67)

M

Plastic Ultra High Index (> 1.67)

J

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M

43



M

Materials:

Plastic (CR39 and 1.50)

C

Polycarbonate

P

Plastic High Index (1.60)

60

Plastic High Index (1.66 - 1.67)

67

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M HD

44



M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S

45




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S HD

46




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View

47




M	Materials:
C	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
F	Filters:
	Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View HD

48



M

H
T
P
F
M
J

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear

49



M

H
P
M

Materials:


Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear HD

50



M

H
T
P
F
M
J

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HD (13, 15, 17, 19)

51



M

H
T
P
F
M
J

Materials:


Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HDV

52




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Starter HD

53




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HD (13, 15, 17, 19, 21)

54




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDC

55




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDV

56




M	Materials: Plastic (CR39 and 1.50)
H	Trivex
T	Polycarbonate
P	Plastic High Index (1.60)
F	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Go HD

57



M	Materials: Plastic (CR39 and 1.50)
H	Trivex
T	Polycarbonate
P	Plastic High Index (1.60)
F	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & ice HD

58



M	Materials: Plastic (CR39 and 1.50)
H	Trivex
T	Polycarbonate
P	Plastic High Index (1.60)
F	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Read HD

59



M	Materials: Plastic (CR39 and 1.50)
H	Trivex
T	Polycarbonate
P	Plastic High Index (1.60)
F	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Umbramatic SR Gradal HS

60



This lens was discontinued in 2005

M

Materials:
Glass (1.523)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Universa HD ice (075, 125, 175)

61

□

M

H

T

P

F

M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Universa2 HD

62



M

H

T

P

F

M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | VIP

63



M

S

Materials:
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | ZEISS Business

64



This lens was discontinued in 2019


M

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice (13, 15, 17, 19)

65



M

50

53

59

60

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

15mm

17mm

19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice Plus (13, 15, 17, 19, 21)

66



This lens was discontinued in 2016

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice Plus V

67



This lens was discontinued in 2016

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Digital Lens

68



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe

69



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe Individual

70



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe (14, 16, 18)

71



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe Digital

72



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience

73




Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience

74




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience HD2

75



59
67

Materials:
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience Short

76



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience Short

77



Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Individual

78



This lens was discontinued in 2016

M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Individual 2

79



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light D (14, 18)

80



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light H (14, 16, 18)

81



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light V

82



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS MyoKids Pro

83



M

50

60

67

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: Canada Only

Carl Zeiss Vision | ZEISS MyoKids Pro Individual

84



M

50

60

67

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: Canada Only

Carl Zeiss Vision | ZEISS icelens Book

85

□

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | ZEISS icelens Desk

86

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS icelens Room

87

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS Plus 2 Short Sport

88



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Plus 2 Sport

89



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Plus

90



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Pure (13, 15, 17, 19, 21)

91



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

15mm

17mm

19mm

21mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Superb

92



This lens was discontinued in 2016

M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Individual

93



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Plus

94



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Pure (S, M, L)

95



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Superb

96



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Classic Optical Laboratories, Inc. | APEX

97



M

P

T

C

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

CLEARi | CLEARi Absolute-W 12

98



M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 14

99



This lens was discontinued in

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 16

100



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 19

101



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 21mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi OFFICE BOOK

102



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

CLEARi | CLEARi OFFICE COMPUTER

103



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

CLEARi | CLEARi OFFICE ROOM

104



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Dehlawi Optical Industries | EasyLux

105



M

50

53

56

58

60

67

74

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Dehlawi Optical Industries | Privo Advance

106



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Easy Fit

107



M

no symbol

Materials:

Plastic (CR39 and 1.50)

no symbol

Plastic Mid-Index (1.52 - 1.58)

no symbol

Trivex

no symbol

Polycarbonate

no symbol

Plastic High Index (1.60)

no symbol

Plastic High Index (1.66 - 1.67)

no symbol

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Enhanced

108



M

no symbol

Materials:

Plastic (CR39 and 1.50)

no symbol

Plastic Mid-Index (1.52 - 1.58)

no symbol

Trivex

no symbol

Polycarbonate

no symbol

Plastic High Index (1.60)

no symbol

Plastic High Index (1.66 - 1.67)

no symbol

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Premier

109



M

no symbol Plastic (CR39 and 1.50)
no symbol Plastic Mid-Index (1.52 - 1.58)
no symbol Trivex
no symbol Polycarbonate
no symbol Plastic High Index (1.60)
no symbol Plastic High Index (1.66 - 1.67)
no symbol Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Ultima

110



M

no symbol Plastic (CR39 and 1.50)
no symbol Plastic Mid-Index (1.52 - 1.58)
no symbol Trivex
no symbol Polycarbonate
no symbol Plastic High Index (1.60)
no symbol Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor Canada | Adaptar

111



This lens was discontinued in 2010

M

Materials:
Plastic High Index (1.60)

Fitting cross location:
Rec. minimum fitting height:
Available as: Clear
Available in:

Essilor Canada | Adaptar DS

112



M

III Plastic (CR39 and 1.50)
IIIP Polycarbonate
III6 Plastic High Index (1.60)
III67 Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: Canada Only

Essilor Canada | Definity

113



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Definity Short

114



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Essilor Natural / Natural DS

115



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor Canada | Ovation

116



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | Ovation ADS

117



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | SmallFit / SmallFit DS

118



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Super No-Line

119



M

Materials:

Plastic (CR39 and 1.50)

Fitting cross location:

Rec. minimum fitting height:


Available as: Clear

Available in:

This lens was discontinued in 2010

Essilor Canada | Varilux Comfort / Comfort DSx

120



M

no symbol

P

6

π

no symbol

8

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass High Index (> 1.60)

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | Varilux Ellipse / Ellipse 360

121



M

no symbol

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor Canada | Varilux Sport

122



M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear Polarized
Available in: US and Canada

Essilor of America | Accolade

123



M

Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

*

P

Polycarbonate

6

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Essilor of America | Accolade Freedom

124



M

no symbol

Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

*

P

Polycarbonate

6

Plastic High Index (1.60)

74

Plastic Ultra High Index (> 1.67)

Essilor of America | Adaptar

125



M

no symbol

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

P

Polycarbonate

Essilor of America | Adaptar Digital

126



M

no symbol

Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

*

P

Polycarbonate

67

Plastic High Index (1.66 - 1.67)

Essilor of America | Adaptar DS (Canada)

127



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America | Adaptar DS Short (Canada)

128



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America | Adaptar Short Digital

129



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Definity

130



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Definity Short

131



M

no symbol



P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Definity 3

132



M

no symbol



P

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Definity 3 Plus

133



M

no symbol



P

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Essilor Anti-Fatigue

134



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear

Available in: US and Canada

Essilor of America | Essilor Computer

135



M
P

Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US Only

Essilor of America | Essilor Ideal

136



M

no symbol

P

6

67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Essilor Ideal Advanced

137



M

no symbol

P

6


67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Essilor Ideal Advanced Fit

138



M

no symbol

P

60

67


74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Essilor Ideal Advanced Wrap

139



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Essilor Ideal Computer

140



M

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Essilor Ideal Driving

141



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Essilor Ideal Fit

142



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Essilor Ideal Short

143



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Essilor Ideal Sport

144




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Essilor Natural

145



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America | Essilor Natural Digital

146




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Natural DS (Canada)

147



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America | Nikon Eyes Advanced

148



M

P

Materials:

Polycarbonate

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic;

Available in: US Only

Essilor of America | Nikon Eyes Advanced Short

149



M

P

Materials:

Polycarbonate

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Essilor of America | Nikon Eyes Customized

150



M

67

Materials:

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: US Only

Essilor of America | Ovation

151



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Ovation ADS (Canada)

152



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America | Ovation ADS Short (Canada)

153



M

no symbol

67

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: Canada Only

Essilor of America | Ovation Digital

154



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Ovation DS (Canada)

155



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America | Smallfit

156



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | SmallFit Digital

157




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Smallfit DS (Canada)

158



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America | Super No-Line

159



M	Materials:
no symbol	Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
21mm
Available as: Clear
Available in: US Only

Essilor of America | Varilux Ipseo IV

160



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America | Varilux Comfort

161




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Comfort Drx

162




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Comfort Enhanced

163




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Comfort Short

164




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Comfort Short DRx

165



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Comfort W3+

166



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Comfort W3+ eyecode

167



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Comfort W3+ Fit

168



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Ellipse

169



M

no symbol

Materials:

Plastic (CR39 and 1.50)

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Ellipse 360°

170



M

Materials:

no symbol

Plastic (CR39 and 1.50)

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Ipseo IV

171



M

Materials:

no symbol

Plastic (CR39 and 1.50)

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor of America | Varilux Ipseo IV eyecode

172



M

Materials:

no symbol

Plastic (CR39 and 1.50)

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Varilux Physio

173



M

Materials:

no symbol

Plastic (CR39 and 1.50)

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Physio 360°

174




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Physio DRx

175




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced

176




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced Azio

177




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced eyecode

178



M

no symbol

*

P

6

Π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Varilux Physio Enhanced Fit

179



M

no symbol

*

P

6

Π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Varilux Physio Enhanced India

180



M

no symbol

*

P

6

Π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Varilux Physio Short

181



M

no symbol

*

P

6

Π

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Essilor of America | Varilux Physio Short 360°

182



M

P

π

Materials:

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor of America | Varilux Physio Short DRx

183



M

no symbol

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Varilux Physio W3+

184



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Physio W3+ eyecode

185



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Physio W3+ Fit

186



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux S 4D

187



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux S Design

188



M

Materials:

no symbol

Plastic (CR39 and 1.50)

*

Trivex

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux S Design Short

189



M

Materials:

no symbol

Plastic (CR39 and 1.50)

*

Trivex

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux S Fit

190



M

no symbol

P

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux Sport

191



M

P

Materials:

Polycarbonate

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Polarized

Available in: US and Canada

Essilor of America | Varilux Stylistic

192



M

P

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux X

193



M

P

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: ; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux X 4D

194



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: ; Photochromic; Polarized

Available in: US and Canada

Essilor of America | Varilux X Fit

195



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: ; Photochromic; Polarized

Available in: US and Canada

Excelite, Inc. | Pro-Freedom

196



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Plus

197



M

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Solace

198



M

1

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Sports

199




M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US Only

Excelite, Inc. | X-Pro Discovery

200



M

G

V

M

Materials:
Plastic (CR39 and 1.50)
Trivex
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Plus

201



M

C


H

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic;
Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Xtra

202



M

V

H

Materials:
Plastic (CR39 and 1.50)
Trivex
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Excelite, Inc. | X-Pro Maxima Plus


203



M

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada



M

B50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B53	Trivex
H53	Trivex
T53	Trivex
PTX	Trivex
PRT	Trivex
TPT	Trivex
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
BLY	Polycarbonate
ZPY	Polycarbonate
PLY	Polycarbonate
B60	Plastic High Index (1.60)
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

15mm


17mm

19mm

P Digitally balanced design for an economically conscious patient with 4 fitting heights. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
H53	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
HTR	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Materials:

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm


19mm

20mm

P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PRT	Trivex
TPT	Trivex
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
PLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)
B74	Plastic Ultra High Index (> 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

19mm

20mm

Several

P Digitally Personalized and Optimized with Position of Wear (actual or average) for Everyday Use. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

**M****P****TRN****PRY****TPR****B50****H53****B53****T53****PTX****PRT****TPT****TPY****PLP****TPP****ZPY****BLY****PLY****HTR****H60****T60****P60****B60****H67****B67****T67****P67****H70****T70****H74****T74****B74****Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm


19mm

20mm

Several

P Digitally Balanced Design for Everyday Use. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada

**M****P****TRN****PRY****H53****T53****PLY****TPY****PLP****TPP****H60****T60****P60****HTR****H67****T67****P67****H74****T74****Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design**PAL Design on Front and Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm


18mm

19mm

20mm

P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada

**M****P****Materials:****TRN**

Plastic (CR39 and 1.50)

PRY

Plastic (CR39 and 1.50)

TPR

Plastic (CR39 and 1.50)

B50

Plastic (CR39 and 1.50)

H53

Trivex

B53

Trivex

T53

Trivex

PTX

Trivex

PRT

Trivex

TPT

Trivex

TPY

Polycarbonate

PLP

Polycarbonate

TPP

Polycarbonate

ZPY

Polycarbonate

BLY

Polycarbonate

PLY

Polycarbonate

HTR

Plastic High Index (1.60)

H60

Plastic High Index (1.60)

T60

Plastic High Index (1.60)

P60

Plastic High Index (1.60)

B60

Plastic High Index (1.60)

H67

Plastic High Index (1.66 - 1.67)

B67

Plastic High Index (1.66 - 1.67)

T67

Plastic High Index (1.66 - 1.67)

P67

Plastic High Index (1.66 - 1.67)

H70

Plastic Ultra High Index (> 1.67)

T70

Plastic Ultra High Index (> 1.67)

H74

Plastic Ultra High Index (> 1.67)

T74

Plastic Ultra High Index (> 1.67)

B74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm


19mm

20mm

Several

P Design Highlighting Distance Vision for More Active Patients. Individually compensated and optimized using Position of Wear Measurements (actual or average). Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PRT	Trivex
TPT	Trivex
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
PLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)
B74	Plastic Ultra High Index (> 1.67)

Materials:

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

P Designs are +0.50 and +0.75 adds.

Relieves visual fatigue symptoms for wearers ages 18 to 45. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

**M**

B50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B53	Trivex
H53	Trivex
T53	Trivex
PTX	Trivex
PRT	Trivex
TPT	Trivex
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
BLY	Polycarbonate
ZPY	Polycarbonate
PLY	Polycarbonate
B60	Plastic High Index (1.60)
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)

Materials:**Custom Progressive Design****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

13mm

14mm

15mm

16mm

17mm

18mm

Several

P Digitally customized and optimized for any frame and fine-tuned compensation with Position of Wear values (standard or actual). Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

H53
T53
PRT
TPT
PLY
TPY
PLP
TPP
ZPY
P67
T67

Materials:

Trivex
 Trivex
 Trivex
 Trivex
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Plastic High Index (1.66 - 1.67)
 Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 16mm
 18mm

P Progressive specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

H53
T53
PRT
PRT
TPT
PLY
TPY
PLP
TPP
ZPY
T67
P67

Materials:


Trivex
 Trivex
 Trivex
 Trivex
 Trivex
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Plastic High Index (1.66 - 1.67)
 Plastic High Index (1.66 - 1.67)

PAL Design on Back side

Fitting cross location: None
Rec. minimum fitting height:

P SV F.H. within 5 mm of O.C. Single Vision specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).

Available as: Clear; Photochromic; Polarized
Available in: US Only



M

P

TRN

PRY

TPR

B50

H53

B53

T53

PTX

PRT

TPT

TPY

PLP

TPP

ZPY

BLY

PLY

HTR

H60

T60

P60

B60

H67

B67

T67

P67

H70

T70

H74

T74

B74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

18mm


P Digitally design for reducing eye fatigue during extended computer/task specific working conditions. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Eye Kraft Optical, Inc. | DLS Advanced PAL

215



This lens was discontinued in 2020



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Eye Kraft Optical, Inc. | DLS Anti-Fatigue

216



1.50

1.53

1.58

1.60

1.66

1.74

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only
Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS Camber Near

217



1.50

1.53

1.58

1.60

1.66

1.74

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only
Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS PAL

218



This lens was discontinued in 2020



Materials:


Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Eye Kraft Optical, Inc. | DLS Pro PAL

219



This lens was discontinued in 2020


M

Materials:
 Plastic (CR39 and 1.50)
 Trivex
 Polycarbonate
 Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

FEA Industries, Inc. | Constitution HD

220



M

no symbol

I

P

L

Materials:
 Plastic (CR39 and 1.50)
 Plastic Mid-Index (1.52 - 1.58)
 Polycarbonate
 Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Constitution Short HD

221



M

no symbol

I

P

L

Materials:
 Plastic (CR39 and 1.50)
 Plastic Mid-Index (1.52 - 1.58)
 Polycarbonate
 Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Eagle

222



M

no symbol

I

△

P

6

L

7

no symbol

6

7

Materials:
 Plastic (CR39 and 1.50)
 Plastic Mid-Index (1.52 - 1.58)
 Trivex
 Polycarbonate
 Plastic High Index (1.60)
 Plastic High Index (1.66 - 1.67)
 Plastic Ultra High Index (> 1.67)
 Glass (1.523)
 Glass Mid-Index (> 1.53)
 Glass High Index (> 1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic Ultra High Index (> 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass Mid-Index (> 1.53)
7	Glass High Index (> 1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
 10mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass Mid-Index (> 1.53)
7	Glass High Index (> 1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 8mm above 180 line
Rec. minimum fitting height:
 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic High Index (1.66 - 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
	Plastic (CR39 and 1.50)
	Trivex
	Polycarbonate
	Plastic High Index (1.60)
	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only

GSRx | epik DRV 50

234




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only

GSRx | epik iBifocal

235



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only

GSRx | epik ice HD

236



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm 
Available as: Clear; Photochromic;
Available in: US Only

GSRx | epik Standard

237



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)


Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only

GSRx | epik Variable

238




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only


GSRx | epik Variable Device

239



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care - Dallas | Amplitude

240



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care - Dallas | Amplitude BKS

241



M

1
X
P
3
5
7

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care - Dallas | Amplitude iQ

242



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care - Dallas | Amplitude Mini

243



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas | Amplitude Mini BKS

244



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | Amplitude Mini iQ

245



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas | Array

246



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | Array Wrap

247



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | Hoyalux GP

248



This lens has been replaced by Hoya GP Wide.

M

1

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas | Hoyalux GPW

249



This lens has been replaced by Hoya GP Wide.

M

1

X

3

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas | Hoyalux Tact (EP40 and 60)

250



This lens has been replaced by Tact 40/60 BKS.

M

1

3

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas | ID InStyle

251



This lens has been replaced by Amplitude HD3.

M

X

3

5

4

Materials:

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas | ID Lifestyle

252



This lens has been replaced by iD LifeStyle 3.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | iD LifeStyle 2 Clarity

253



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | ID LifeStyle 2 Clarity cd

254



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | ID LifeStyle 2 Harmony

255



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | ID LifeStyle 2 Harmony cd

256



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | ID Lifestyle cd

257



This lens has been replaced by Amplitude Mini HD3.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | ID Mystyle

258



This lens has been replaced by iD MyStyle 2.

M

1

X

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US and Canada

Hoya Vision Care - Dallas | Summit cd

259



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas | Summit cd iQ

260



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas | Summit ecp

261



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | Summit ecp iQ

262



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas | TACT 40 BKS and TACT 60 BKS

263



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic;

Available in: US and Canada

Interstate Optical | Intellego 3

264




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 14

265




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 16

266




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 18

267




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

IOT | inMotion

268



Materials:

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless

269




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.50D

270



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.75D

271




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 1.00D

272




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

KBco, Inc. | EOS

273




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | EOS Wrap

274




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | iRx Pro

275




M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

KBco, Inc. | iRx Short

276




M

Materials:
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | Xplore

277



M

P

F




Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Filters:
Polarized

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Polarized
Available in: US and Canada

L.B.I. | Ce-Tru Normal Corridor

278



M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Polarized Progressive

279




M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Polarized
Available in: US Only

L.B.I. | Ce-Tru Short Corridor

280




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Short Corridor Photochr

281



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

L.B.I. | Ce-Tru SunSensor

282




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Plastic II

283




Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Landon Lens | Channel 14 Poly II

284




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Gray & B

285



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Poly Pho

286




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: ; Photochromic;
Available in: US and Canada

Landon Lens | Mvp Platinum Plastic II

287



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Landon Lens | Variations

288



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: ; Photochromic;
Available in: US and Canada

Lenscrafters | Blue IQ Variable Progressive

289




Materials:

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
Available as:
Available in: US Only

MacLens Optical | PolySensus

290




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

MacLens Optical | Promult

291



Materials:
Plastic (CR39 and 1.50)
Glass (1.523)
Glass Ultra High Index (>
1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Maui Jim | Maui Passport Progressive

292



Materials:
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Polarized
Available in: US and Canada

Melibrad | Melibrad Progressive

293




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada

Melibrad | Polar-Ray Progressive

294




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: ; Photochromic;
Available in: US and Canada

Melibrad | Polar-Ray Progressive

295




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Polarized
Available in: US and Canada

Nassau Lens Company | Nalco Progressive

296



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic;
Available in: US Only

Nexus Vision Group | Proprius DS

297



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US Only

Nikon Optical Canada | Balance Digital 12

298



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Balance Digital 14

299



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE

300




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE Short

301



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Nikon Go

302




Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Go Digital

303



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i

304




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i Digital

305



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Online

306



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Nikon W

307



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Presio Power 12/13/14

308




Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical Canada | SeeMax Power 12/13/14

309



Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical Canada | SeeMaxProgressive 12

310




Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | SeeMaxProgressive 14

311




Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical USA | Move Digital 13

312




Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Move Digital 15

313




Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Nikon Online

314



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical USA | Nikon W

315



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

Nikon Optical USA | Nikon W Short

316



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio Digital i Short

317



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio i

318



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Nikon Optical USA | Presio i Digital

319



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio i Digital 12

320



M

Nb

NB

Nb

NB

N5B

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Digital 14

321



M

Nb

NB

Nb

NB

N5B

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Digital Short

322



M

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Short

323



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio Power 12/13/14

324



M

N1

N3

N4

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic;

Available in: US and Canada

Nikon Optical USA | SeeMax Power 12/13/14

325



M

N3

N4

N5

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic;

Available in: US and Canada

PFO Global | Acuity 9/11/13

326



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity home 9/11/13

327



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity play 9/11/13

328



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity pro

329



M



Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

PFO Global | identity smart 9/11/13

330



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Optima LLC | HyperPro

331



M



Materials:

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

PFO Optima LLC | Resolution Response

332



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 5mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Polycore Optical | Futureise

333



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada


Polycore Optical | Micro

334



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

**M**

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

20mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada

**M**

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** On 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada

**M**

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** On 180 line**Rec. minimum fitting height:**

16mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada


**M**

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

18mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
T53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M


TRN
F50
P
PRY
TPR
H53
PRT
T53
PLP
PLY
TPP
TPY
H60
P60
T60
H67
P67
T67
H74

Materials:

Plastic (CR39 and 1.50)
 Plastic (CR39 and 1.50)
 Plastic (CR39 and 1.50)
 Plastic (CR39 and 1.50)
 Plastic (CR39 and 1.50)
 Trivex
 Trivex
 Trivex
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Polycarbonate
 Plastic High Index (1.60)
 Plastic High Index (1.60)
 Plastic High Index (1.60)
 Plastic High Index (1.66 - 1.67)
 Plastic High Index (1.66 - 1.67)
 Plastic High Index (1.66 - 1.67)
 Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

**M****F50****P****TRN****PRY****TPR****H53****PRT****T53****PLY****TPY****PLP****TPP****H60****T60****P60****T67****P67****H67****H74****Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)


Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

16mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

F50	Plastic (CR39 and 1.50)
T53	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada


**M**

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

16mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side


Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona ice

363



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona G4

364



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Novice

365



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic;

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd

366



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd Distance

367



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd Near

368



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Quattro

369



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Quattro Sport

370



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Signature HD

371



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Robertson Optical Laboratories, Inc. | COZE ADL ADVANCED 372



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE CASATA 373



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE HDW 374



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE SOFT 375



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE WRAP

376



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | Vista

377



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA CP

378



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA WS

379



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | XP HD

380



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Rodenstock Canada | ClassicLife Free XS, M or L

381



M

50

54

60

67

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Rodenstock Canada | Impression 2 XS, M, or L

382



M

5

54

60

67

74

60

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 Book

383



M

60

Materials:

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 PC or Room

384



M
60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression Ergo FreeSign 2

385




M
60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front and Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression FreeSign 2

386




M
60
67
74

Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop

387




M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop XS

388



M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop

389



M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop XS

390



M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Sport 2

391



M
54
6

Materials:
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Multigressiv MyView 2 XS, M, L

392



M
50
54
60
67
74

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 Book

393



M
50
60

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 PC or Room

394



M


50
60

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Nexyma Computer (80)

395



M

5

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Nexyma Reading (40)

396



M

5

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife

397



M

5

6

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife XS

398



M

5


6

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Life 2

399



M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Life 2 XS

400




M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife

401



M

Materials:
5 Plastic (CR39 and 1.50)
5 Plastic Mid-Index (1.52 - 1.58)
6 Plastic High Index (1.60)
7 Plastic High Index (1.66 - 1.67)
6 Glass High Index (> 1.60)
8 Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife XS

402



M

Materials:
5 Plastic (CR39 and 1.50)
5 Plastic Mid-Index (1.52 - 1.58)
6 Plastic High Index (1.60)
7 Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | ProgressivPureLife Free XS,M,L

403



M

50

54

1.53

60

67

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Seiko Optical Products | AF2

404



M

A

C

S

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 3mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

Seiko Optical Products | DC mini

405



M

Materials:

Polycarbonate

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

19mm

Available as: Clear

Available in: US Only

Seiko Optical Products | PCWide

406



M



Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: US Only

Seiko Optical Products | Perfas Premier II

407



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Perfas Prominent

408



M

50

Materials:

Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Proceed II Short

409



M

Materials:

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic;

Available in: US Only

Seiko Optical Products | Proceed III Super Short

410



M

Materials:

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic;

Available in: US Only

Seiko Optical Products | Succeed

411



M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Succeed WS

412



M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede

413



M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
Several
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede II

414



M

50

Materials:
Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Supercede WS

415



M

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Seiko Optical Products | Superior

416



M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 12
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Seiko Optical Products | Supernal

417



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Surmount

418



M

50
59

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Surmount Ws

419




M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only




M

15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
TX	Trivex
TTX	Trivex
XX	Trivex
VX	Trivex
PC	Polycarbonate
PT	Polycarbonate
PX	Polycarbonate
PV	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as:
Available in: US Only



M


Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Attitude III Sport

422



M

Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Shamir Insight Inc. | Autograph II -Fixed & Var. Des

423



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

11mm

Available as: Clear

Available in: US Only

Shamir Insight Inc. | Autograph II Attitude

424



M

Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Shamir Insight Inc. | Autograph II ice

425



M

Materials:

Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


16mm

Available as: Clear

Available in: US Only

Shamir Insight Inc. | Autograph III Fixed & VAR.

426



M

PZ
15
TR
X5
56
TX
PC
16
74

Materials:

Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Intelligence Fixed & VARI.

427



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shamir Insight Inc. | Autograph II+ Fixed & VARI.

428



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Relax

429



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

PAL Design on Back side

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Computer

430



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element

431



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element Short

432



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | First PAL

433



M

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Golf

434



M

Materials:
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Spectrum

435



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
16mm
19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | WorkSpace

436



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shore Lens Company | Executive/ ShoreView ES

437



M

S

π

S

F



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)

Filters:
Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shore Lens Company | ShoreView / Shoreview Mini

438



M

TTX

TTX

TV

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Shore Lens Company | Shoreview Mini ES

439



M

S

S

S

S

F



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Filters:

Photochromic

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US Only

Signet Armorlite, Inc. | Crossbows Custom U

440



M

I

Δ

P

◇

L

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Custom V

441



M

I

Δ

P

◇

L

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Junior

442



M

I

P

L

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | DirecTek

443




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16.5mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | DirecTek Short

444




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13.5mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Kodak Concise

445




M	Materials:
no symbol	Plastic (CR39 and 1.50)
Δ	Trivex
P	Polycarbonate
◇	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Signet Armorlite, Inc. | KODAK DSII

446




M	Materials:
	Plastic (CR39 and 1.50)
Δ	Trivex
P	Polycarbonate
◇	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Kodak Precise

447



M

no symbol

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Δ

P

Polycarbonate

◇

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Precise PB

448



M

I

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Δ

P

Polycarbonate

◇

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Precise Short

449



M

no symbol

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

⊥

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Precise Short PB

450



M

I

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Δ

P

Polycarbonate

◇

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK SoftWear

451



M

Materials:

Plastic (CR39 and 1.50)

M

I

Plastic Mid-Index (1.52 - 1.58)

P

Polycarbonate

L

Plastic High Index (1.66 - 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Unique

452



M

Materials:

Plastic (CR39 and 1.50)

no symbol

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

L

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Unique DRO

453



M

Materials:

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

◇

Plastic High Index (1.60)

L

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Unique DRO HD

454



M

Materials:

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

◇

Plastic High Index (1.60)

L

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Navigator FBS

455



M

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

I

Δ

P

L

7

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Navigator Precision

456



M

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.60)

no symbol

I

P

◇

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Navigator Short

457



M

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

O

sP

L

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

SOLA Optical | Compact ULTRA HD

458



This lens was discontinued in 2016

M

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

H

T

P

F

M

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

SOLA Optical | Percepta

459



This lens was discontinued in 2010

M
H
S
P
6

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate
Plastic High Index (1.60)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | SOLA HDV

460



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

SOLA Optical | SOLAOne HD

461



This lens was discontinued in 2016


M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | VIP Gold

462



This lens was discontinued in 2012

M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | Visuality

463



This lens was discontinued in 2009


M
H
S
P

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | XL

464



This lens was discontinued in 2010




Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | XL Gold

465



This lens was discontinued in 2010



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOMO Optical | EZ View Mini

466



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

SOMO Optical | EZ View Std

467



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: US and Canada

Sutherlin Optical, Inc. | Overture

468




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Advanced HD

469



M


15
TR
TX
PC
16
67
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Ultimate HD

470



M


15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Wrap HD

471



M

15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Continual Focus Lens (CFL)




M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

472

Vision Dynamics Lab/Optical Dynamics | Paradigm Progressive 473



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic;
Available in: US and Canada


Vision Dynamics Lab/Optical Dynamics | Paradigm Short Corridor 474



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada


Vision Warehouse | Stealth 15 475



Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Vision-Ease Lens, Inc. | Illumina 476



This lens was discontinued in 2016

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision-Ease Lens, Inc. | Novel 477




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision-Ease Lens, Inc. | Novella Short Corridor

478



M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision-Ease Lens, Inc. | Outlook

479



M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as:
Available in: US and Canada

VSP | UNITY PLx

480



M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	Materials:
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 Several
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



M	Materials:
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



M	Materials:
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Near Variable Focus**PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only

M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:**Near Variable Focus****PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only



M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:

Custom Progressive Design

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized


Available in: US Only



M

PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
XX	Trivex
	Trivex
TX	Trivex
TTX	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
X67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

no symbol	Plastic (CR39 and 1.50)
TX	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

X-CEL Optical | Freedom ID

491



M

Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

492



M

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

493



M

Materials:
Glass (1.523)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Adage

494



M

Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Image

495



M


HI

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Image

496




M

Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Zeal Optics | Zeal Digital Progressive

497



M

Materials:
Polycarbonate

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada